

All BLM CALIFORNIA SPECIAL STATUS PLANTS

Thursday, September 20, 2012

10:53:50 AM

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH		
<b><i>Abronia umbellata var. breviflora</i></b>	pink sand-verbena	VASC	Nyctaginaceae			BLMS	1B.1		G4G5T2	S2.1		No	15-Nov-10	Formerly subsp. <i>breviflora</i> (Standl.) Munz.		K															
<b><i>Abronia villosa var. aurita</i></b>	chaparral sand-verbena	VASC	Nyctaginaceae			BLMS	1B.1		G5T3T4	S2.1		No	19-Aug-09								S				K						
<b><i>Acanthomintha ilicifolia</i></b>	San Diego thornmint	VASC	Lamiaceae	FT	SE		1B.1		G2	S2		No	13-Sep-12												K						
<b><i>Acanthoscyphus parishii var. goodmaniana</i></b>	Cushenberry oxytheca	VASC	Polygonaceae	FE			1B.1		G4?T1	S1		No	15-Nov-10	Formerly <i>Oxytheca parishii</i> var. <i>goodmaniana</i> . Name change based on Reveal, J.L. 2004. Nomenclatural summary of Polygonaceae subfamily Eriogonoideae. Harvard Papers in Botany 9(1):144. A draft Recovery Plan was issued in 1997 but as of 11/15/2010 was not final. Some of the recovery actions in the draft plan have been started and partially implemented.				K													
<b><i>Acmispon argyraeus var. multicaulis</i></b>	scrub lotus	VASC	Fabaceae			BLMS	1B.3		T2	S2		No	13-Sep-12	Formerly <i>Lotus argyraeus</i> (Greene) Greene var. <i>multicaulis</i> (Ottley) Isely. Occurs on BLM lands in vicinity of Dinosaur Trackway ACEC. Occurrence there discovered in 2008 acc. Jim Weigand.																	
<b><i>Acmispon rubriflorus</i></b>	red-flowered lotus	VASC	Fabaceae			BLMS	1B.1		G1	S1.1		No	16-Nov-10	Formerly <i>Lotus rubriflorus</i> H.K. Sharsm.														S			
<b><i>Agave utahensis var. eborispina</i></b>	ivory-spined agave	VASC	Agavaceae			BLMS	1B.3		G4T3Q	S1.3		No	08-Dec-10	Added to list on 12/8/2010. Species documented in April 2010 as part of CNPS Rare Plant Treasure Hunt on limestone outcrops in Chicago Canyon, Nopah Range, at a location where is was first discovered in 1978 (CNDDDB Occurrence No. 4). Other older locations are also on BLM lands.				K													

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Agrostis blasdalei</i>	Blasdale's bent grass	VASC	Poaceae			BLMS	1B.2		G2	S2.2		No	15-Nov-10	On Shell Island off of Sea Ranch, Sonoma County, part of the California Coastal National Monument (source: Jim Weigand)															K
<i>Agrostis hooveri</i>	Hoover's bent grass	VASC	Poaceae			BLMS	1B.2		G2	S2.2		No				K													
<i>Agrostis lacuna-vernalis</i>	vernal pool bent grass	VASC	Poaceae			BLMS	1B.1		G1	S1		No	18-Sep-12	New species added as California Rare Plant Rank 1B.1 on 6-14-2012. Known only from Butterfly Valley and Machine Gun Flats in the Fort Ord National Monument and adjacent Army lands.							K								
<i>Albatrellus caeruleoporus</i>	blue-pored polypore	FUNG	Albatrellaceae			BLMS			G3?	S1		No	16-Nov-10	G and S Heritage Rankings are from Oregon Natural Heritage Information Center 2007.		S													
<i>Albatrellus ellisii</i>	greening goat's foot	FUNG	Albatrellaceae			BLMS			G4	S2S3		No	16-Nov-10	G and S Heritage Rankings are from Oregon Natural Heritage Information Center 2007.		S													
<i>Albatrellus flettii</i>	blue-capped polypore	FUNG	Albatrellaceae			BLMS			None	None		No	16-Nov-10			S													
<i>Allium hickmanii</i>	Hickman's onion	VASC	Alliaceae			BLMS	1B.2		G2	S2.2		No	15-Nov-10	Fort Ord. Added based on 9/9/08 email from Bruce Delgado								K							
<i>Allium jepsonii</i>	Jepson's onion	VASC	Alliaceae			BLMS	1B.2		G1	S1.2		No	15-Nov-10									K			S				
<i>Allium munzii</i>	Munz's onion	VASC	Alliaceae	FE	ST		1B.1		G1	S1		No	13-Sep-12											S					
<i>Allium shevockii</i>	Spanish Needle onion	VASC	Alliaceae			BLMS	1B.3		G1	S1.3		No	15-Nov-10	Southern Sierra Nevada.			K										K		
<i>Allium tuolumnense</i>	Rawhide Hill onion	VASC	Alliaceae			BLMS	1B.2		G2	S2		No	13-Sep-12									K							
<i>Ambrosia pumila</i>	San Diego ambrosia	VASC	Asteraceae	FE			1B.1		G1	S1		No	13-Sep-12											S					

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH		
<i>Amsinckia lunaris</i>	bent-flowered fiddleneck	VASC	Boraginaceae			BLMS	1B.2		G2?	S2		No	13-Sep-12	Walker Ridge/Bear Creek (Source: Jim Weigand). Documented within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).												S				K	
<i>Ancistrocarphus keilii</i>	Santa Ynez groundstar	VASC	Asteraceae			BLMS	1B.1		G1	S1.1		No	15-Nov-10			S															
<i>Anisocarpus scabridus</i>	scabrid alpine tarplant	VASC	Asteraceae			BLMS	1B.3		G2G3	S2S3		No	15-Nov-10												S						
<i>Arabis mcdonaldiana</i>	McDonald's rock-cress	VASC	Brassicaceae	FE	SE		1B.1		G2	S2		Yes	13-Sep-12	Name change from <i>Arabis macdonaldiana</i> to <i>Arabis mcdonaldiana</i> as of March 3, 2011.		K															
<i>Arctostaphylos canescens</i> subsp. <i>sonomensis</i>	Sonoma canescent manzanita	VASC	Ericaceae			BLMS	1B.2		G3G4T2	S2.1		No	22-Nov-10	Walker Ridge/Bear Creek (Source: Jim Weigand). Documented within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).																	K
<i>Arctostaphylos cruzensis</i>	Arroya de La Cruz manzanita	VASC	Ericaceae			BLMS	1B.2		G2	S2.2		No	15-Nov-10									S									
<i>Arctostaphylos glandulosa</i> ssp. <i>gabrielensis</i>	Gabilan Mountains manzanita	VASC	Ericaceae			BLMS	1B.2		G5T2	S1.2		No	13-Sep-12	Name change from <i>Arctostaphylos gabrielensis</i> to <i>Arctostaphylos glandulosa</i> ssp. <i>gabrielensis</i> as of August 23, 2010								S									
<i>Arctostaphylos hookeri</i> subsp. <i>hookeri</i>	Hooker's manzanita	VASC	Ericaceae			BLMS	1B.2		G3T2	S2		No	13-Sep-12									K									
<i>Arctostaphylos klamathensis</i>	Klamath manzanita	VASC	Ericaceae			BLMS	1B.2		G2	S2		No													S						

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Arctostaphylos montereyensis</i>	Monterey manzanita	VASC	Ericaceae			BLMS	1B.2		G2	S2.1		No		Fort Ord.								K							
<i>Arctostaphylos morroensis</i>	Morro manzanita	VASC	Ericaceae	FT			1B.1		G2	S2		Yes	13-Sep-12			K													
<i>Arctostaphylos myrtifolia</i>	lone manzanita	VASC	Ericaceae	FT			1B.2		G2	S2		No	13-Sep-12									K							
<i>Arctostaphylos nissenana</i>	Nissenan manzanita	VASC	Ericaceae			BLMS	1B.2		G2	S2.2		No										K							
<i>Arctostaphylos otayensis</i>	Otay manzanita	VASC	Ericaceae			BLMS	1B.2		G2	S2.1		No													K				
<i>Arctostaphylos pajaroensis</i>	Pajaro manzanita	VASC	Ericaceae			BLMS	1B.1		G2	S2.1		No	15-Nov-10	Fort Ord. Added based on 9/9/08 email from Bruce Delgado.								K							
<i>Arctostaphylos pilosula</i>	Santa Margarita manzanita	VASC	Ericaceae			BLMS	1B.2		G3	S3		No	13-Sep-12			K													
<i>Arctostaphylos pumila</i>	sandmat manzanita	VASC	Ericaceae			BLMS	1B.2		G2	S2.2		No										K							
<i>Arctostaphylos rudis</i>	sand mesa manzanita	VASC	Ericaceae			BLMS	1B.2		G2	S2.2		No				K													
<i>Aristocapsa insignis</i>	Indian Valley spineflower	VASC	Polygonaceae			BLMS	1B.2		G2	S2.2		No				S													
<i>Astragalus agnicidus</i>	Humboldt milk-vetch	VASC	Fabaceae		SE	BLMS	1B.1		G3	S3		No	13-Sep-12			S													
<i>Astragalus agrestis</i>	field milk-vetch	VASC	Fabaceae			BLMS	2.2		G5	S1.2		No		This species is rather widespread elsewhere, so the primary value of this population is its disjunct location in CA, and maintaining the genetic viability of the species across its range.	K				K										
<i>Astragalus albens</i>	Cushenberry milk-vetch	VASC	Fabaceae	FE			1B.1		G1	S1		No	13-Sep-12	A draft Recovery Plan was issued in 1997 but as of 11/2010 was not final. Some of the recovery actions in the draft plan have been started and partially implemented.				K											
<i>Astragalus anxius</i>	Ash Valley milk-vetch	VASC	Fabaceae			BLMS	1B.3		G1	S1.2		No		In Ash Valley ACEC/RNA.	K														
<i>Astragalus argophyllus var. argophyllus</i>	silverleaf milk-vetch	VASC	Fabaceae			BLMS	2.2		G5T4	S1.2		No						K	K										
<i>Astragalus atratus var. mensanus</i>	Darwin Mesa milk-vetch	VASC	Fabaceae			BLMS	1B.1		G4G5T1	S1		No	13-Sep-12	On Darwin Mesa.												K			

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Astragalus bernardinus</i>	San Bernardino Milk-Vetch	VASC	Fabaceae			BLMS	1B.2		G2G3	S2S3		No	03-Oct-11	Currently shown in Little San Bernardino Mountains, Little San Bernardino Mountains, New York Mountains, and Big Horn Mountains. There are 33 known occurrences in CNDDB, 12 between 1992 and 2011.				K						K					
<i>Astragalus brauntonii</i>	Braunton's milk-vetch	VASC	Fabaceae	FE			1B.1		G2	S2		Yes	13-Sep-12												S				
<i>Astragalus deanei</i>	Deane's milk-vetch	VASC	Fabaceae			BLMS	1B.1		G2	S2.1		No													K				
<i>Astragalus douglasii</i> var. <i>perstrictus</i>	Jacumba milk-vetch	VASC	Fabaceae			BLMS	1B.2		G5T2	S2.2		No													K				
<i>Astragalus erterae</i>	Walker Pass milk-vetch	VASC	Fabaceae			BLMS	1B.3		G1	S1.2		No					K										K		
<i>Astragalus funereus</i>	black milk-vetch	VASC	Fabaceae			BLMS	1B.2		G2	S2.2		No						K											
<i>Astragalus hornii</i> var. <i>hornii</i>	Horn's milk-vetch	VASC	Fabaceae			BLMS	1B.1		G4G5T2 T3	S1		No	13-Sep-12				K												
<i>Astragalus jaegerianus</i>	Lane Mtn. milk-vetch	VASC	Fabaceae	FE			1B.1		G1	S1		No	13-Sep-12					K											
<i>Astragalus johannis-howellii</i>	Long Valley milkvetch	VASC	Fabaceae		SR	BLMS	1B.2		G2	S2.2		No							K										
<i>Astragalus lemmonii</i>	Lemmon's milk-vetch	VASC	Fabaceae			BLMS	1B.2	W	G2	S2		No	13-Sep-12							S									
<i>Astragalus lentiformis</i>	lens-pod milk-vetch	VASC	Fabaceae			BLMS	1B.2		G2	S2		No								K									
<i>Astragalus lentiginosus</i> var. <i>coachellae</i>	Coachella Valley milk-vetch	VASC	Fabaceae	FE			1B.2		G5T2	S2		No	13-Sep-12													K			
<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>	Fish Slough milk-vetch	VASC	Fabaceae	FT			1B.1		G5T1	S1		Yes	13-Sep-12					K											
<i>Astragalus magdalena</i> var. <i>peirsonii</i>	Peirson's milk-vetch	VASC	Fabaceae	FT	SE		1B.2		G3G4T2	S2		No	13-Sep-12								K								
<i>Astragalus mojavensis</i> var. <i>hemigyus</i>	curved-pod milkvetch	VASC	Fabaceae			BLMS	1B.1		G3G4T2 T3	S1		No	15-Nov-10	Formerly on List 1A. Rediscovered on Darwin Mesa by Dana York in 2001 and verified in 2009.													K		
<i>Astragalus monoensis</i>	Mono milk-vetch	VASC	Fabaceae		SR	BLMS	1B.2		G2	S2.2		No	17-Nov-10	Was var. <i>monoensis</i> until var. <i>ravenii</i> was elevated to its own species ( <i>A. ravenii</i> Barneby).					K										

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH		
<i>Astragalus nyensis</i>	Nye milk-vetch	VASC	Fabaceae			BLMS	1B.1		G3	S1		No	18-Sep-12	CNDDDB mapped 19 specific occurrences of this species found during surveys for a private solar development project in 2011. Specific occurrence number 2 is mapped on BLM lands (occurrence rating poor, only 1 plant found). Although the records in RareFind for occurrences 9 and 13 state that those occurrences occupy both private and BLM lands, both occurrences are mapped only on private lands.				K													
<i>Astragalus oocarpus</i>	San Diego rattleweed	VASC	Fabaceae			BLMS	1B.2		G2	S2.2		No																			
<i>Astragalus oophorus var. lavinii</i>	Lavin's milk-vetch	VASC	Fabaceae			BLMS	1B.2		G4T2	S1		No	15-Nov-10	Bodie Hills.					K												
<i>Astragalus pseudiodanthus</i>	Tonopah milk-vetch	VASC	Fabaceae			BLMS	1B.2		G2Q	S2.2		No							K												
<i>Astragalus pulsiferae var. pulsiferae</i>	Pulsifer's milk-vetch	VASC	Fabaceae			BLMS	1B.2	W	G4T2	S2.2 in CA; S1 in NV		No								K											
<i>Astragalus pulsiferae var. suksdorfii</i>	Suksdorf's milk-vetch	VASC	Fabaceae			BLMS	1B.2		G4T2	S2.2		No		Occurrences formerly attributed to this species in N part of range (formerly K in Alturas and Eagle Lake) are now <i>A. pulsiferae</i> var. <i>coronensis</i> (Welsh, Ondriceek & Clifton 2002). Suspected in ELFO on conifer sites near Lake Almanor.						S											
<i>Astragalus pycnostachyus var. pycnostachyus</i>	coastal marsh milk-vetch	VASC	Fabaceae			BLMS	1B.2		G2T2	S2.2		No	15-Nov-10			K															

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Astragalus rattanii</i> var. <i>jepsonianus</i>	Jepson's milk-vetch	VASC	Fabaceae			BLMS	1B.2		G4T3	S3		No	13-Sep-12	Documented within the proposed right-of-way of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).											S				K
<i>Astragalus shevockii</i>	Shevock's milk-vetch	VASC	Fabaceae			BLMS	1B.3		G2	S2.2		No				K													
<i>Astragalus tener</i> var. <i>ferrisiae</i>	Ferris's milk-vetch	VASC	Fabaceae			BLMS	1B.1		G1T1	S1		No	13-Sep-12												S				
<i>Astragalus tiehmii</i>	Tiehm's milk-vetch	VASC	Fabaceae			BLMS		W	G3	S3		No	15-Nov-10	Entire distribution of this plant is on public lands administered by the Surprise FO. Nevada only.															K
<i>Astragalus tricarinatus</i>	triple-ribbed milkvetch	VASC	Fabaceae	FE			1B.2		G1	S1		No	13-Sep-12																K
<i>Astragalus webberi</i>	Webber's milk-vetch	VASC	Fabaceae			BLMS	1B.2		G1	S1.2		No							S										
<i>Atriplex argentea</i> var. <i>longitrichoma</i>	Pahrump orache	VASC	Chenopodiaceae			BLMS	1B.1		G5T1T2	S1		No	03-Oct-11	The only two occurrences in CA are mapped by CNDDDB on BLM lands in CA near the NV border. The occurrences are based on a 1983 collection by Mary DeDecker and on a 1991 collection by Stutz. Not sure why this species has not previously been on our list.			K												
<i>Atriplex cordulata</i> var. <i>cordulata</i>	heart-leaved saltbush	VASC	Chenopodiaceae			BLMS	1B.2		G2?	S2.2?		No	13-Sep-12	Occurrence number 82 in the CNDDDB is on BLM lands in the Carrizo Plain. Other occurrences in the San Joaquin Valley are proximate to BLM lands.			K												
<i>Atriplex cordulata</i> var. <i>erecticaulis</i>	Earlimart orache	VASC	Chenopodaceae			BLMS	1B.2		G3T2	S2.2		No	13-Sep-12	Formerly <i>A. erecticaluis</i> Stutz, Chu & Sanderson.			S												
<i>Atriplex coronata</i> var. <i>notatior</i>	San Jacinto Valley crownscale	VASC	Chenopodiaceae	FE			1B.1		G4T1	S1		No	26-Aug-09	This plant has been considered K for many years but review of CNDDDB on 8-26-09 shows no occurrences on BLM lands.										S					

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATTA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Atriplex coronata</i> var. <i>vallicola</i>	Lost Hills crownscale	VASC	Chenopodiaceae			BLMS	1B.2		G4T2	S2		No	15-Nov-10	Formerly <i>A. vallicola</i> Hoover.			K													
<i>Atriplex joaquinana</i>	San Joaquin spearscale	VASC	Chenopodiaceae			BLMS	1B.2		G2	S2		No	02-Nov-11	Found by Thomsen, C. and Dean, E. in Bear Creek Unit (Payne Ranch).															K	
<i>Atriplex subtilis</i>	subtle orache	VASC	Chenopodaceae			BLMS	1B.2		G2	S2.2		No					S													
<i>Baccharis vanessae</i>	Encinitas coyotebrush	VASC	Asteraceae	FT	SE		1B.1		G1	S1		No	13-Sep-12												K					
<i>Balsamorhiza lanata</i>	woolly balsamroot	VASC	Asteraceae			BLMS	1B.2		G3	S3		No	13-Sep-12	Elevated to <i>B. lanata</i> from <i>B. hookeri</i> Nutt. var. <i>lanata</i> Sharp.												K				
<i>Balsamorhiza macrolepis</i>	big-scale balsamroot	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	13-Sep-12	Formerly <i>B. macrolepis</i> Sharp var. <i>macrolepis</i> . Jepson Manual 2nd edition submerges <i>B. m.</i> var. <i>platylepis</i> (Sharp) Ferris into <i>B. hookeri</i> Nutt. Documented in the Ukiah Field Office within the proposed right-of-way of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).									K		K				K	
<i>Balsamorhiza sericea</i>	silky balsamroot	VASC	Asteraceae			BLMS	1B.3		G4Q	S2.3		No														S				
<i>Berberis harrisoniana</i>	Kofa Mountain barberry	VASC	Berberidaceae			BLMS	1B.2		G1G2	S1.2		No	15-Nov-10	In Whipple Wash											K					
<i>Berberis nevinii</i>	Nevin's barberry	VASC	Berberidaceae	FE	SE		1B.1		G2	S1		No	13-Sep-12	Formerly <i>Mahonia nevinii</i> (Gray) Fedde												K				
<i>Bloomeria clevelandii</i>	San Diego goldenstar	VASC	Themidaceae			BLMS	1B.1		G2	S2		No	15-Nov-10	Formerly <i>Muilla clevelandii</i> (S. Watson) Hoover. See discussion at: <a href="http://www.efloras.org/florataxon.aspx?flora_id=1&amp;taxon_id=121293">http://www.efloras.org/florataxon.aspx?flora_id=1&amp;taxon_id=121293</a>														S		
<i>Boechera bodiensis</i>	Bodie Hills rock cress	VASC	Brassicaceae			BLMS	1B.3		G2	S1.1		No	15-Nov-10	Formerly <i>Arabis bodiensis</i> Roll.					K											
<i>Boechera lincolnensis</i>	Lincoln rock cress	VASC	Brassicaceae			BLMS	2.3		G5T4?	S2		No	13-Sep-12	Formerly <i>Arabis pulchra</i> S. Watson var. <i>munciensis</i> M.E. Jones. On Darwin Mesa. Formerly known as Darwin rock cress.													K			

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Boechera serpenticola</i>	Serpentine Rockcress	VASC	Brassicaceae			BLMS	1B.2		G1	S1		No	13-Sep-12	CNDDDB maps nonspecific areas immediately adjacent to BLM lands near summit of Bully Choop Mountain. North-facing slopes on serpentine talus.											S					
<i>Boletus haematinus</i>	red-pored bolete	FUNG	Boletaceae			BLMS			None	None		Yes	16-Nov-10			S														
<i>Brodiaea filifolia</i>	thread-leaved brodiaea	VASC	Themidaceae	FT	SE		1B.1		G1	S1		No	13-Sep-12												S					
<i>Brodiaea insignis</i>	Kaweah brodiaea	VASC	Themidaceae		SE	BLMS	1B.2		G1	S1		No	13-Sep-12			S														
<i>Brodiaea orcuttii</i>	Orcutt's brodiaea	VASC	Themidaceae			BLMS	1B.1		G1	S1		No	13-Sep-12												K					
<i>Brodiaea rosea</i>	Indian Valley brodiaea	VASC	Themidaceae		SE	BLMS	1B.1		G1	S1		No	13-Sep-12	Formerly <i>Brodiaea coronaria</i> (Salisb.) Engler subsp. <i>rosea</i> (Greene) Niehaus. Jepson Manual 2nd edition elevates to species.											S				K	
<i>Bryoria pseudocapillaris</i>	horsehair lichen	LICH	Parmeliaceae			BLMS			G3	None		No	16-Nov-10			K														
<i>Bryoria spiralifera</i>	horsehair lichen	LICH	Parmeliaceae			BLMS			G3	None		No	16-Nov-10			K														
<i>Bryoria tortuosa</i>	yellow-twist horsehair	LICH	Parmeliaceae			BLMS			G5	None		No	16-Nov-10			K										K				
<i>Buxbaumia viridis</i>	green bug moss	BRYO	Buxbaumiaceae			BLMS			G3G4	None		No	16-Nov-10			K										S				
<i>Calamagrostis foliosa</i>	leafy reedgrass	VASC	Poaceae		SR	BLMS	4.2		G3	S3.2		No				K														
<i>California macrophylla</i>	round-leaved filaree	VASC	Geraniaceae			BLMS	1B.1		G2	S2		No	13-Sep-12	Likely to occur in Hollister FO acc 12/10/08 email from Jim Weigand. Nonspecific (1 mile) CNDDDB Occurrence 18 in the Bakersfield FO (Kern Co.) has BLM lands within the mapped circle.			S				S									K
<i>Calochortus clavatus var. avius</i>	Pleasant Valley mariposa lily	VASC	Liliaceae			BLMS	1B.2		G4T2	S2		No	13-Sep-12									S								
<i>Calochortus dunnii</i>	Dunn's mariposa	VASC	Liliaceae		SR	BLMS	1B.2		G2	S2.1		No													K					
<i>Calochortus excavatus</i>	Inyo mariposa	VASC	Liliaceae			BLMS	1B.1		G2	S2		No	13-Sep-12					K												
<i>Calochortus greenei</i>	Greene's mariposa	VASC	Liliaceae			BLMS	1B.2		G3	S3		No	13-Sep-12												K					

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH				
<i>Calochortus longebarbatus</i> <i>var. longebarbatus</i>	long-haired star-tulip	VASC	Liliaceae			BLMS	1B.2		G4T3	S3		No			S										S								
<i>Calochortus monanthus</i>	Shasta River mariposa	VASC	Liliaceae			BLMS	1A		GH	SH		No													S								
<i>Calochortus obispoensis</i>	San Luis mariposa lily	VASC	Liliaceae			BLMS	1B.2		G2	S2.1		No					S																
<i>Calochortus palmeri</i> <i>var. palmeri</i>	Palmer's mariposa lily	VASC	Liliaceae			BLMS	1B.2		G2T2	S2.1		No	12-Oct-11	CNDDDB occurrence number 66 is located on Ridgecrest parcels. CNDDDB occurrence 18 and 20 are located on scattered Bakersfield parcels.			K										K						
<i>Calochortus persistens</i>	Siskiyou mariposa lily	VASC	Liliaceae	FC	SR	BLMS	1B.2		G2	S2.2		No													S								
<i>Calochortus simulans</i>	San Luis Obispo mariposa lily	VASC	Liliaceae			BLMS	1B.3		G2	S2.3		No					S																
<i>Calochortus striatus</i>	alkali mariposa lily	VASC	Liliaceae			BLMS	1B.2		G2	S2		No					K	S										K					
<i>Calochortus westonii</i>	Shirley Meadows star-tulip	VASC	Liliaceae			BLMS	1B.2		G2	S2.2		No					K																
<i>Calycadenia hooveri</i>	Hoover's calycadenia	VASC	Asteraceae			BLMS	1B.3		G2	S2.2		No	15-Nov-10				S																
<i>Calycadenia micrantha</i>	small-flowered calycadenia	VASC	Asteraceae			BLMS	1B.2		G2G3	S2S3.2		No	27-Apr-09																	S			
<i>Calycadenia villosa</i>	dwarf calycadenia	VASC	Asteraceae			BLMS	1B.1		G2	S2.1		No	15-Nov-10				S																
<i>Calyptridium parryi</i> <i>var. hesseae</i>	Santa Cruz Mountains pussypaws	VASC	Montiaceae			BLMS	1B.1		G3G4T2	S2		No	13-Sep-12	The Jepson Manual 2nd edition retains the genus <i>Calyptridium</i> as well as the combination <i>C. parryi</i> var. <i>hesseae</i> . Flora North America moves <i>Calyptridium</i> to <i>Cistanthe</i> and reduces this var. to a synonym of <i>Cistanthe parryi</i> . There are two collections by C. Matt Guillems and Michael G. Simpson (SDSU17444/17445) on BLM near Big and Little Spanish Lakes in Clear Creek Rec. Area. There is another collection by Griffin (JEPS77709) on BLM in N. Clear Creek Canyon. None of these yet mapped in CNDDDB (as of 7-6-2012).																			

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Calyptridium pulchellum</i>	Mariposa pussypaws	VASC	Montiaceae	FT			1B.1		G1	S1		No	15-Nov-10	This is the treatment in the Jepson Manual 2nd edition. Flora North America puts this species into the genus <i>Cistanthe</i> .			S													
<i>Calystegia collina subsp. tridactylosa</i>	three-fingered morning-glory	VASC	Convolvulaceae			BLMS	1B.2		G4T1	S1.2		No	22-Nov-10	Known to occur on BLM Toney Creek holding, Eden Valley. Documented in the Ukiah Field Office within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).		K														K
<i>Calystegia stebbinsii</i>	Stebbins' morning glory	VASC	Convolvulaceae	FE	SE		1B.1		G1	S1		Yes	13-Sep-12									K								
<i>Camissonia benitensis</i>	San Benito evening-primrose	VASC	Onagraceae	FT			1B.1		G1	S2		Yes	13-Sep-12									K								
<i>Camissonia integrifolia</i>	Kern River evening-primrose	VASC	Onagraceae			BLMS	1B.3		G2	S2		No	13-Sep-12			S														
<i>Camissoniopsis hardhamiae</i>	Hardham's evening-primrose	VASC	Onagraceae			BLMS	1B.2		G1Q	S1		No	13-Sep-12	Formerly <i>Camissonia hardhamiae</i> P.H. Raven								S								
<i>Campanula californica</i>	swamp harebell	VASC	Campanulaceae			BLMS	1B.2		G3	S3		No	15-Nov-10	CNDDDB has mapped population near Stornetta Ranch.																S
<i>Campanula exigua</i>	chaparral harebell	VASC	Campanulaceae			BLMS	1B.2		G2	S2.2		No	16-Jul-12	CNDDDB maps nonspecific occurrence based on two Griffin collections along Clear Creek Rd; also a collection in the area by C. & P. McMillan (JEPS3010) that is not mapped by CNDDDB (as of 7-16-2012).								K								
<i>Campanula sharsmithiae</i>	Sharsmith's harebell	VASC	Campanulaceae			BLMS	1B.2		G1	S1.2		No										S								
<i>Campanula shetleri</i>	Castle Crags harebell	VASC	Campanulaceae			BLMS	1B.3		G2	S2.3		No													S					

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Carex klamathensis</i>	Klamath sedge	VASC	Cyperaceae			BLMS	1B.2		G2	S1.2		No	15-Nov-10	CNDDDB maps (Occurrence 3) within 1/2 mile of BLM lands in Tehama Co. BLM lands appear to have same serpentine substrate as Occurrence 3 in CNDDDB.											S					
<i>Carex obispoensis</i>	San Luis Obispo sedge	VASC	Cyperaceae			BLMS	1B.2		G2	S2.2		No				K														
<i>Carlquistia muirii</i>	Muir's raillardella	VASC	Asteraceae			BLMS	1B.3		G2	S2.3		No	15-Nov-10	Formerly <i>Raillardiaopsis muirii</i> (Gray) Rydb.			K										K			
<i>Carpenteria californica</i>	tree-anemone	VASC	Hydrangeaceae		ST	BLMS	1B.2		G1	S1?		No	13-Sep-12				S													
<i>Castilleja ambigua subsp. humboldtensis</i>	Humboldt Bay owl's-clover	VASC	Orobanchaceae			BLMS	1B.2		G4T2	S2.2		No	15-Nov-10			K														
<i>Castilleja campestris subsp. succulenta</i>	succulent owl's clover	VASC	Orobanchaceae	FT	SE		1B.2		G4?T3	S3		No	13-Sep-12				K				K									
<i>Castilleja densiflora subsp. obispoensis</i>	Obispo Indian paintbrush	VASC	Orobanchaceae			BLMS	1B.2		G5T2	S2.2		No	15-Nov-10				S													
<i>Castilleja gleasoni</i>	Mt. Gleason Indian paintbrush	VASC	Orobanchaceae		SR	BLMS	1B.2		G2Q	S2.2		No	03-Oct-11	Name change from <i>Castilleja gleasonii</i> to <i>Castilleja gleasoni</i> as of March 3, 2011.											S					
<i>Castilleja mendocinensis</i>	Mendocino Coast paintbrush	VASC	Orobanchaceae			BLMS	1B.2		G2	S2.2		No	15-Nov-10			S													K	
<i>Castilleja rubicundula subsp. rubicundula</i>	pink creamsacs	VASC	Orobanchaceae			BLMS	1B.2		G5T2	S2		No	13-Sep-12	On BLM lands in Bear Creek Watershed acc to 12/10/08 email from Jim Weigand. Documented within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).												S				K
<i>Caulanthus californicus</i>	California jewelflower	VASC	Brassicaceae	FE	SE		1B.1		G1	S1		Yes	13-Sep-12				K				K									

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Caulanthus lemmonii</i>	Lemmon's jewelflower	VASC	Brassicaceae			BLMS	1B.2		G2	S2.2		No	15-Nov-10	Formerly <i>C. coulteri</i> Wats. var. <i>lemmonii</i> (Wats.) Munz.			K												
<i>Ceanothus confusus</i>	Rincon Ridge ceanothus	VASC	Rhamnaceae			BLMS	1B.1		G2	S2.2		No																	S
<i>Ceanothus cyaneus</i>	Lakeside ceanothus	VASC	Rhamnaceae			BLMS	1B.2		G2	S2.2		No												K					
<i>Ceanothus divergens</i>	Calistoga ceanothus	VASC	Rhamnaceae			BLMS	1B.2		G2	S2.2		No																	S
<i>Ceanothus ferrisiae</i>	coyote ceanothus	VASC	Rhamnaceae	FE			1B.1		G2	S2		Yes	13-Sep-12									S							
<i>Ceanothus hearstiorum</i>	Hearst's ceanothus	VASC	Rhamnaceae		SR	BLMS	1B.2		G1	S1.2		No										S							
<i>Ceanothus roderickii</i>	Pine Hill ceanothus	VASC	Rhamnaceae	FE	SR		1B.2		G1	S1		Yes	13-Sep-12										K						
<i>Centromadia parryi subsp. congdonii</i>	Congdon's tarplant	VASC	Asteraceae			BLMS	1B.2		G4T2	S2		No	13-Sep-12	Formerly <i>Hemizonia parryi</i> Greene subsp. <i>congdonii</i> (Rob. & Greenm.) Keck; Fort Ord.								K							
<i>Centromadia parryi subsp. parryi</i>	pappose tarplant	VASC	Asteraceae			BLMS	1B.2		G4T1	S1		No	13-Sep-12	Formerly <i>Hemizonia parryi</i> Greene. Known in Bear Creek watershed acc. 12/10/2008 email from Jim Weigand.															K
<i>Chaenactis glabriuscula var. orcuttiana</i>	Orcutt's pincushion	VASC	Asteraceae			BLMS	1B.1		G5T1	S1		No	18-Sep-12	CNDDDB historic, nonspecific occurrence 12 on land slated for wind energy. There are BLM lands inside the 1 mile radius circle, but most of the lands inside the circle are private.							S								
<i>Chaenactis suffrutescens</i>	Shasta chaenactis	VASC	Asteraceae			BLMS	1B.3		G3	S3		No																	K
<i>Chamaesyce hooveri</i>	Hoover's spurge	VASC	Euphorbiaceae	FT			1B.2		G2	S2		Yes	13-Sep-12	Formerly <i>Euphorbia hooveri</i> .														S	
<i>Chamaesyce ocellata subsp. rattanii</i>	Stony Creek spurge	VASC	Euphorbiaceae			BLMS	1B.2		G4T1T2	S1S2		No	13-Sep-12															K	
<i>Chamaesyce platysperma</i>	flat-seeded spurge	VASC	Euphorbiaceae			BLMS	1B.2		G3	S1.2?		No		Formerly <i>Euphorbia platyspermum</i> .							S			S					
<i>Chlorogalum grandiflorum</i>	Red Hills soaproot	VASC	Agavaceae			BLMS	1B.2		G3	S3		No	13-Sep-12									K							
<i>Chlorogalum pomeridianum var. minus</i>	dwarf soaproot	VASC	Agavaceae			BLMS	1B.2		G5T2	S2		No	13-Sep-12															K	K

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Chlorogalum purpureum</i> var. <i>purpureum</i>	purple amole	VASC	Agavaceae	FT			1B.1		G2T2	S2		No	13-Sep-12	Critical Habitat, known habitat in Bakersfield Field Office (Mineral Estate).			S					S							
<i>Chloropyron maritimum</i> ssp. <i>palustre</i>	Pt. Reyes birds-beak	VASC	Orobanchaceae			BLMS	1B.2		G4?T2	S2.2		No	03-Oct-11	Name change from Cordylanthus maritimum ssp. palustris to Chloropyron maritimum ssp. palustre as of March 3, 2011.		K													
<i>Chloropyron molle</i> ssp. <i>hispidum</i>	hispid bird's-beak	VASC	Orobanchaceae			BLMS	1B.1		G2T2	S2.1		No	15-Nov-10	Name change from Cordylanthus mollis ssp. hispidus to Chloropyron molle ssp. hispidum as of March 3, 2011.			S				S								
<i>Chloropyron tecopense</i>	Tecopa bird's-beak	VASC	Orobanchaceae			BLMS	1B.2		G2	S1.2		No	03-Oct-11	Name change from Cordylanthus tecopensis to Chloropyron tecopense as of March 3, 2011.				K											
<i>Choiromyces venosus</i>	hypogeous truffle	FUNG	Tuberaceae			BLMS			G4G5	None		No	16-Nov-10			K													
<i>Chorizanthe biloba</i> var. <i>immemora</i>	Hernandez spineflower	VASC	Polygonaceae			BLMS	1B.2		G3T1?	S1?		No	13-Sep-12	Near mouth of Clear Creek.								K							
<i>Chorizanthe breweri</i>	Brewer's spineflower	VASC	Polygonaceae			BLMS	1B.3		G2	S2.2		No					S												
<i>Chorizanthe orcuttiana</i>	Orcutt spineflower	VASC	Polygonaceae	FE	SE		1B.1		G1	S1		No	13-Sep-12											S					
<i>Chorizanthe parryi</i> var. <i>parryi</i>	Parry's spineflower	VASC	Polygonaceae			BLMS	1B.1		G3T2	S2		No	15-Nov-10	Occurrences 74 and 79 in CNDDDB definitely on BLM lands; Occurrence 43 may be on BLM lands.											K				
<i>Chorizanthe polygonoides</i> var. <i>longispina</i>	long-spined spineflower	VASC	Polygonaceae			BLMS	1B.2		G5T3	S3		No	18-Sep-12	Specific CNDDDB occurrences on BLM lands in Palm Springs, nonspecific CNDDDB occurrence number 133 in El Centro includes BLM lands slated for renewable energy within the 1 mile radius mapped circle.							S				K				
<i>Chorizanthe pungens</i> var. <i>pungens</i>	Monterey spineflower	VASC	Polygonaceae	FT			1B.2		G2T2	S2		Yes	13-Sep-12									K							
<i>Chorizanthe rectispina</i>	straight-awned spineflower	VASC	Polygonaceae			BLMS	1B.3		G1	S1.2		No					K					K							
<i>Chorizanthe robusta</i> var. <i>robusta</i>	robust spineflower	VASC	Polygonaceae	FE			1B.1		G2T1	S1		Yes	15-Nov-10									S							

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Chorizanthe xanti var. leucotheca</i>	white-bracted spineflower	VASC	Polygonaceae			BLMS	1B.2		G4T2	S2		No	12-Oct-11	CNDDDB occurrence 4 and 24 border BLM lands. Non-specific CNDDDB occurrences 2, 5, 6, 11, and 25 are located on BLM parcels.										S					
<i>Cirsium ciliolatum</i>	Ashland thistle	VASC	Asteraceae		SE	BLMS	2.1		G3	S1		No	13-Sep-12												S				
<i>Cirsium crassicaule</i>	slough thistle	VASC	Asteraceae			BLMS	1B.1		G2	S2.2		No					S												
<i>Cirsium fontinale var. campylon</i>	Mt. Hamilton thistle	VASC	Asteraceae			BLMS	1B.2		G2T2	S1		No	13-Sep-12								S								
<i>Cirsium fontinale var. obispoense</i>	Chorro Creek bog thistle	VASC	Asteraceae	FE	SE		1B.2		G2T2	S2		Yes	13-Sep-12				S												
<i>Cirsium occidentale var. lucianum</i>	Cuesta Ridge thistle	VASC	Asteraceae			BLMS	1B.2		G3G4T2	S2		No	13-Sep-12	CNDDDB maps about a mile from BLM lands near Santa Margarita Lake.			S												
<i>Cirsium rhotophilum</i>	surf thistle	VASC	Asteraceae		ST	BLMS	1B.2		G1	S1		No	13-Sep-12	On BLM lands at the Point Sal ACEC.			S												
<i>Cirsium scariosum var. loncholepis</i>	La Graciosa thistle	VASC	Asteraceae	FE	ST		1B.1		G5T1	S1		No	13-Sep-12	Critical Habitat, potential habitat in BFO (Mineral Estate). Name change from <i>Cirsium loncholepis</i> to <i>Cirsium scariosum</i> var. <i>loncholepis</i> as of March 3, 2011.			S												
<i>Clarkia australis</i>	small southern clarkia	VASC	Onagraceae			BLMS	1B.2		G2	S2.2		No					S												
<i>Clarkia biloba subsp. australis</i>	Mariposa clarkia	VASC	Onagraceae			BLMS	1B.2		G4G5T2	S2.2		No											K						
<i>Clarkia biloba subsp. brandegeae</i>	Brandegee's clarkia	VASC	Onagraceae			BLMS	1B.2		G4G5T3	S3		No											K		K				
<i>Clarkia borealis subsp. arida</i>	Shasta clarkia	VASC	Onagraceae			BLMS	1B.1		G3T1	S1.2		No														K			
<i>Clarkia borealis subsp. borealis</i>	northern clarkia	VASC	Onagraceae			BLMS	1B.3		G3T2	S2.3		No														S			
<i>Clarkia gracilis subsp. albicaulis</i>	white-stemmed clarkia	VASC	Onagraceae			BLMS	1B.2		G5T2	S2.2?		No														K			
<i>Clarkia mildrediae subsp. mildrediae</i>	Mildred's clarkia	VASC	Onagraceae			BLMS	1B.3		G3T3	S3		No	13-Sep-12													S			

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Clarkia mosquinii</i>	Mosquin's clarkia	VASC	Onagraceae			BLMS	1B.1		G2	S2		No	15-Nov-10	Formerly <i>Clarkia mosquinii</i> subsp. <i>mosquinii</i> and subsp. <i>xerophila</i> .											K					
<i>Clarkia rostrata</i>	beaked clarkia	VASC	Onagraceae			BLMS	1B.3		G2	S2		No	13-Sep-12									K								
<i>Clarkia springvillensis</i>	Springville clarkia	VASC	Onagraceae	FT	SE		1B.2		G2	S2		No	13-Sep-12			S														
<i>Clarkia tembloriensis subsp. calientensis</i>	Vasek's clarkia	VASC	Onagraceae			BLMS	1B.1		G3T1	S1.1		No				S														
<i>Clavariadelphus ligula</i>	strap coral	FUNG	Gomphaceae			BLMS			None	None		No	16-Nov-10			S														
<i>Clavulina castanopes var. lignicola</i>	'hairy-stemmed coral'	FUNG	Clavulinaceae			BLMS			None	None		No	16-Nov-10			S														
<i>Clitocybe subditopoda</i>	'little brown mushroom'	FUNG	Tricholomataceae			BLMS			G3G4			No	16-Nov-10			K														
<i>Collinsia antonina</i>	San Antonio collinsia	VASC	Plantaginaceae			BLMS	1B.2		G1	S1.2		No	15-Nov-10								S									
<i>Cordyceps ophioglossoides</i>	truffle eater	FUNG	Clavicipitaceae			BLMS			G3G4	None		No	16-Nov-10			S														
<i>Cordylanthus nidularius</i>	Mt. Diablo bird's-beak	VASC	Orobanchaceae		SR	BLMS	1B.1		G1	S1.2		No	15-Nov-10								S									
<i>Cordylanthus rigidus subsp. littoralis</i>	seaside bird's-beak	VASC	Orobanchaceae		SE	BLMS	1B.1		G5T2	S2		No	13-Sep-12			K					K									
<i>Cordylanthus tenuis subsp. pallescens</i>	pallid bird's-beak	VASC	Orobanchaceae			BLMS	1B.2		G4G5T1	S1		No	13-Sep-12												S					
<i>Croton wigginsii</i>	Wiggins' croton	VASC	Euphorbiaceae		SR	BLMS	2.2		G2G3	S1.2		No								K										
<i>Cryptantha clokeyi</i>	Clokey's cryptantha	VASC	Boraginaceae			BLMS	1B.2		G2	S2		No	13-Sep-12	SE Red Mt.												S				
<i>Cryptantha crinita</i>	silky cryptantha	VASC	Boraginaceae			BLMS	1B.2		G2	S2		No	13-Sep-12												K					
<i>Cryptantha dissita</i>	Serpentine Cryptantha	VASC	Boraginaceae			BLMS	1B.2		G2	S2		No	13-Sep-12	Suspected to occur at Eden Valley. Name change from <i>Cryptantha clevelandii</i> var. <i>dissita</i> to <i>Cryptantha dissita</i> as of March 3, 2011. Species found on Walker Ridge as part of rare plant inventory for proposed wind energy development. Re-ranked from rare plant rank 1B.1 to 1B.2 on 10-25-2012.		S														K

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Cryptantha excavata</i>	deep-scarred cryptantha	VASC	Boraginaceae			BLMS	1B.3		G2	S2.3		No	15-Nov-10	Known from Walker Ridge/Bear Creek acc. Jim Weigand. Old, nonspecific CNDDDB occurrences mapped near BLM lands in Colusa Co.															K	
<i>Cryptantha ganderi</i>	Gander's cryptantha	VASC	Boraginaceae			BLMS	1B.1		G1G2	S1		No	13-Sep-12												S					
<i>Cryptantha mariposae</i>	Mariposa cryptantha	VASC	Boraginaceae			BLMS	1B.3		G2	S2.3		No	13-Sep-12	Two collections by Vern Yadon, one in Clear Creek at 3307 ft elevation and the other at Santa Rita Peak, just below east side. CNDDDB doesn't yet show these occurrences (as of 9-13-2012) but this is because they didn't know about them at last update (pers. comm. Nick Jensen, May 2009). This is a significant range extension.							K	K								
<i>Cryptantha roosiorum</i>	bristlecone cryptantha	VASC	Boraginaceae		SR	BLMS	1B.2		G1	S1.2		No						S									K			
<i>Cryptantha schoolcraftii</i>	Schoolcraft's cryptantha	VASC	Boraginaceae			BLMS	2.2	W	G3(CA); G3Q (NV)	S1 (CA); S3 (NV)		No	13-Sep-12	Common name "ash cryptantha" used in Jepson Manual 2nd edition. Nevada Heritage Program uses "Schoolcraft catseye."														K		
<i>Cusickiella quadricostata</i>	Bodie Hills cusickiella	VASC	Brassicaceae			BLMS	1B.2		G2	S2.2		No						K												
<i>Cylindropuntia fosbergii</i>	pink teddy-bear cholla	VASC	Cactaceae			BLMS	1B.3		G2	S2		No	18-Sep-12	Treated as a hybrid, <i>C. xfosbergii</i> in the Jepson Manual, Second Edition, but based on a recent paper by Mayer et al. ( <i>Madrono</i> 58: 106-112), CDFG and CNPS have elevated to specific level and assigned a California Rare Plant Rank of 1.3 (on 5-7-2012). Several occurrences on BLM lands in the Monument Peak Quadrangle.						K										
<i>Cylindropuntia munzii</i>	Munz cholla	VASC	Cactaceae			BLMS	1B.3		G3	S1.2		No	15-Nov-10	Formerly <i>Opuntia munzii</i> C.B. Wolf.							K				K					
<i>Cymopterus deserticola</i>	desert cymopterus	VASC	Apiaceae			BLMS	1B.2		G2	S2		No	13-Sep-12	E. of Cuddeback Lake and N. of Edwards AFB.			K										K			
<i>Cymopterus ripleyi</i> var. <i>saniculoides</i>	Ripley's cymopterus	VASC	Apiaceae			BLMS	1B.2		G3G4T3 Q	S1.2		No		NE Haiwee Reservoir.													K			

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Cypripedium fasciculatum</i>	clustered lady's slipper	VASC	Orchidaceae			BLMS	4.2		G4	S3.2		No	15-Nov-10												K				
<i>Cypripedium montanum</i>	mountain lady's slipper	VASC	Orchidaceae			BLMS	4.2		G4	S4.2		No	15-Nov-10												K				
<i>Dalea ornata</i>	ornate dalea	VASC	Fabaceae			BLMS	2.1		G4G5	S1.3		No		Only six closely associated occurrences are known of this plant in CA, and they are disjunct from the others in western NV. Known from the Snake and Columbia valleys in E. WA, OR, and SW ID. Occurrences are grazed and subject to invasion from medusahead and cheatgrass.					K										
<i>Dedeckera eurekaensis</i>	July gold	VASC	Polygonaceae		SR	BLMS	1B.3		G2	S2.2		No							K								K		
<i>Deinandra arida</i>	Red Rock tarplant	VASC	Asteraceae			BLMS	1B.2		G1	S1.2		No	15-Nov-10	Formerly <i>Hemizonia arida</i> Keck. Known to occur in Red Rock State Park.													S		
<i>Deinandra conjugens</i>	Otay tarplant	VASC	Asteraceae	FT	SE		1B.1		G1	S1		Yes	13-Sep-12	Formerly <i>Hemizonia conjugens</i> Keck. Review of CNDDDB does not show any occurrences on BLM land, though some are close.											S				
<i>Deinandra floribunda</i>	Tecate tarplant	VASC	Asteraceae			BLMS	1B.2		G3	S2.2		No	15-Nov-10	Formerly <i>Hemizonia floribunda</i> A. Gray.											K				
<i>Deinandra halliana</i>	Hall's tarplant	VASC	Asteraceae			BLMS	1B.1		G2	S2		No	13-Sep-12	Formerly <i>Hemizonia halliana</i> Keck.			S				K								
<i>Deinandra increscens subsp. villosa</i>	Gaviota tarplant	VASC	Asteraceae	FE	SE		1B.1		G4G5T2	S2		No	13-Sep-12	Formerly <i>Hemizonia increscens</i> Keck subsp. <i>villosa</i> Tanowitz. Proposed Critical Habitat, Mineral Estate.			S												
<i>Deinandra minthornii</i>	Santa Suzana tarplant	VASC	Asteraceae		SR	BLMS	1B.2		G2	S2.2		No	15-Nov-10	Formerly <i>Hemizonia minthornii</i> Jeps.											S				
<i>Deinandra mohavensis</i>	Mojave tarplant	VASC	Asteraceae		SE	BLMS	1B.3		G2G3	S2S3		No	13-Sep-12	Formerly <i>Hemizonia mohavensis</i> Keck.				S									K		
<i>Delphinium hesperium subsp. cuyamaceae</i>	Cuyamaca larkspur	VASC	Ranunculaceae		SR	BLMS	1B.2		G4T2	S2.1		No												S					
<i>Delphinium parryi subsp. blochmaniae</i>	dune larkspur	VASC	Ranunculaceae			BLMS	1B.2		G4T2	S2.2		No				S													

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Delphinium purpusii</i>	Kern County Larkspur	VASC	Ranunculaceae			BLMS	1B.3		G2	S2		No	13-Sep-12	Known only from rocky areas in Kern and Tulare counties with 15-20 occurrences known. Very localized with several occurrences on road cuts.			K													
<i>Delphinium recurvatum</i>	recurved larkspur	VASC	Ranunculaceae			BLMS	1B.2		G3	S3		No	13-Sep-12				K					K								
<i>Delphinium umbracolorum</i>	umbrella larkspur	VASC	Ranunculaceae			BLMS	1B.3		G2G3	S2S3.3		No					S													
<i>Dendriscoaulon intricatum</i>	northern moon shrub	LICH	Lobariaceae			BLMS			GUQ	None		No	16-Nov-10			S											K			
<i>Dendrocollybia racemosa</i>	no common name	FUNG	Tricholomataceae			BLMS			None	None		No	16-Nov-10	Formerly <i>Collybia racemosa</i> (Pers.) Quélet.			K										S			
<i>Dermocybe humboldtensis</i>	'little green mushroom'	FUNG	Cortinariaceae			BLMS			G1G2	None		No	16-Nov-10				K													
<i>Dieteria asteroides var. lagunensis</i>	Mount Laguna aster	VASC	Asteraceae		SR	BLMS	2.1		G5T2T3Q	S1.1		No	15-Nov-10	Formerly <i>Machaeranthera asteroides</i> (Torr.) Greene var. <i>lagunensis</i> (Keck) Turner.																
<i>Dithyrea maritima</i>	beach spectaclepod	VASC	Brassicaceae		ST	BLMS	1B.1		G2	S2.1		No					S													
<i>Dodecahema leptoceras</i>	slender-horned spineflower	VASC	Polygonaceae	FE	SE		1B.1		G1	S1		No		Formerly <i>Centrostegia leptoceras</i> Gray.																
<i>Dudleya abramsii subsp. murina</i>	mouse-gray dudleya	VASC	Crassulaceae			BLMS	1B.3		G3T2	S2.3		No	15-Nov-10				S													
<i>Dudleya cymosa subsp. marcescens</i>	marcescent dudleya	VASC	Crassulaceae	FT	SR		1B.2		G5T2	S2		Yes	13-Sep-12															S		
<i>Dudleya multicaulis</i>	many-stemmed dudleya	VASC	Crassulaceae			BLMS	1B.2		G2	S2		No																		
<i>Dudleya saxosa subsp. saxosa</i>	Panamint dudleya	VASC	Crassulaceae			BLMS	1B.3		G4T3	S3		No	13-Sep-12	Panamint Mts: on BLM lands in Surprise Canyon--see 2005 Surprise Canyon ADEIS.																K
<i>Dudleya variegata</i>	variegated dudleya	VASC	Crassulaceae			BLMS	1B.2		G2	S2.2		No																		
<i>Echinocereus engelmannii var. howei</i>	Howe's hedgehog cactus	VASC	Cactaceae			BLMS	1B.1		G5T1	S1.1		No	15-Nov-10	Var. <i>howei</i> not recognized in Jepson Manual 1st or 2nd edition or in Flora North America. Recognized in Plants database. Original description in Cactus and Succulent Journal 46:80 (1974).																

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Enceliopsis covillei</i>	Panamint daisy	VASC	Asteraceae			BLMS	1B.2		G2	S2?		No	13-Sep-12	Panamint Mts.													K		
<i>Entoloma nitidum</i>	'indigo entoloma'	FUNG	Entolomataceae			BLMS			None	None		No	16-Nov-10		K														
<i>Epilobium oregonum</i>	Oregon fireweed	VASC	Onagraceae			BLMS	1B.2		G2	S2.2		No													S				
<i>Epilobium siskiyouense</i>	Siskiyou fireweed	VASC	Onagraceae			BLMS	1B.3		G3	S2.2		No	15-Nov-10												S				
<i>Eremalche kernensis</i>	Kern mallow	VASC	Malvaceae	FE			1B.1		G3?T1Q	S1		Yes	13-Sep-12			K													
<i>Eriastrum brandegeae</i>	Brandegee's eriastrum	VASC	Polemoniaceae			BLMS	1B.1		G3	S3		No	13-Sep-12	Reranked from California Rare Plant Rank 1B.2 to 1B.1 on 8-23-2012.												K			K
<i>Eriastrum densifolium subsp. sanctorum</i>	Santa Ana River woollystar	VASC	Polemoniaceae	FE	SE		1B.1		G4T1	S1		No	13-Sep-12												K				
<i>Eriastrum harwoodii</i>	Harwood's eriastrum	VASC	Polemoniaceae			BLMS	1B.2		G2	S2		No	08-Dec-10	CNDDDB maps at least 3 occurrences on BLM lands in the Needles FO. Several new occurrences added in 2009 and 2010 as a result of solar power plant surveys and CNPS Rare Plant Treasure Hunt.										K	K				
<i>Eriastrum luteum</i>	yellow-flowered eriastrum	VASC	Polemoniaceae			BLMS	1B.2		G2	S2.2		No				K													
<i>Ericameria fasciculata</i>	Eastwood's goldenbush	VASC	Asteraceae			BLMS	1B.1		G2	S2.1		No										K							
<i>Ericameria gilmanii</i>	Gilman's goldenbush	VASC	Asteraceae			BLMS	1B.3		G1	S1		No	13-Sep-12	Owens Peak.													S		
<i>Ericameria palmeri var. palmeri</i>	Palmer's goldernbush	VASC	Asteraceae			BLMS	1B.1		G4T2T3	S1		No	15-Nov-10	Moved from CNPS list 2.2 to 1B.1 on 8/12/09. CNDDDB Occurrence 2, non-specific 1 mile radius circle includes BLM lands within it.											S				
<i>Erigeron aequifolius</i>	Hall's daisy	VASC	Asteraceae			BLMS	1B.3		G2	S2.3		No		S. Sierra.													K		
<i>Erigeron blochmaniae</i>	Blochman's leafy daisy	VASC	Asteraceae			BLMS	1B.2		G2	S2.2		No				K													

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Erigeron calvus</i>	bald daisy	VASC	Asteraceae			BLMS	1B.1		G1Q	S1.1		No	30-Jan-12	"This occurrence is based on a single collection by Olmstead in 1891. It's mapped as a best guess "just north of Swansea," and has a 1 mile radius circle to indicate a nonspecific occurrence. Most of the lands within that circle are BLM lands, so we should at least have the species on our list as suspected to occur. Although the Rarefind report states that there are taxonomic questions (and the Global Naturereserve rank of G1Q also indicates this), the species is included in both Jepson Manual 2 and the Flora of North America."				S											
<i>Erigeron multiceps</i>	Kern River daisy	VASC	Asteraceae			BLMS	1B.2		G2	S2.2		No				S													
<i>Erigeron parishii</i>	Parish's daisy	VASC	Asteraceae	FT			1B.1		G2	S2		No	13-Sep-12	A draft Recovery Plan was issued in 1997 but as of 09/2012 was not final. Some of the recovery actions in the draft plan have been started and partially implemented.				K							K				
<i>Eriodictyon altissimum</i>	Indian Knob mountainbalm	VASC	Boraginaceae	FE	SE		1B.1		G1	S1		Yes	13-Sep-12			S													
<i>Eriogonum alexanderae</i>	Alexander's buckwheat	VASC	Polygonaceae			BLMS	1B.1		G2G3	S1		No	07-Jul-12	Name changed from <i>Eriogonum ochrocephalum</i> var. <i>alexanderae</i> to <i>Eriogonum alexanderae</i> and rare plant rank changed from Rank 2.2 to 1B.1 on 29-Nov-2011. Located in Mono County on Bodie Mountain. Likely on BLM lands.				S											
<i>Eriogonum apricum</i> var. <i>apricum</i>	lone buckwheat	VASC	Polygonaceae	FE	SE		1B.1		G1T1	S1		No	13-Sep-12										K						
<i>Eriogonum bifurcatum</i>	forked buckwheat	VASC	Polygonaceae			BLMS	1B.2		G2	S2		No	13-Sep-12				K												
<i>Eriogonum contiguum</i>	Reveal's buckwheat	VASC	Polygonaceae			BLMS	2.3		G2	S2		No	13-Sep-12														K		

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATTA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Eriogonum crosbyae</i>	Crosby's buckwheat	VASC	Polygonaceae			BLMS		W	G3	S3		No		S3 in NV. This plant is threatened by gold mining activity on the Nevada portion of the Surprise Field Office. 82% of this plants' total numbers are within the mining claim area. A few populations also occur in Oregon.															K	
<i>Eriogonum eremicola</i>	Wildrose Canyon buckwheat	VASC	Polygonaceae			BLMS	1B.3		G1	S1		No	13-Sep-12					S											K	
<i>Eriogonum hoffmannii</i> var. <i>hoffmannii</i>	Hoffmann's buckwheat	VASC	Polygonaceae			BLMS	1B.3		G3T2	S2.3		No	15-Nov-10	Panamint Mts.; Found in Surprise Canyon on BLM lands--see 2005 ADEIS.															K	
<i>Eriogonum kelloggii</i>	Red Mountain buckwheat	VASC	Polygonaceae	FC	SE	BLMS	1B.2		G2	S2		No	13-Sep-12			K														
<i>Eriogonum kennedyi</i> var. <i>pinicola</i>	Kern buckwheat	VASC	Polygonaceae			BLMS	1B.1		G4T1	S1.1		No					S												K	
<i>Eriogonum mensicola</i>	Pinyon Mesa buckwheat	VASC	Polygonaceae			BLMS	1B.3		G2G3	S2		No	15-Nov-10	CNDDDB occurrences 6 and 8 on BLM; other occurrences on Death Valley NP, China Lake NWS.															K	
<i>Eriogonum microthecum</i> var. <i>panamintense</i>	Panamint Mountains buckwheat	VASC	Polygonaceae			BLMS	1B.3		G5T2	S2.3		No							K										K	
<i>Eriogonum microthecum</i> var. <i>schoolcraftii</i>	Schoolcraft's wild buckwheat	VASC	Polygonaceae			BLMS	1B.2	W	G5T2	S2.2 (CA); S1 (NV)		No	15-Nov-10	Newly described species (Phytologia 2004, 86(3)).						K									S	
<i>Eriogonum nervulosum</i>	Snow Mtn. buckwheat	VASC	Polygonaceae			BLMS	1B.2		G2	S2		No	13-Sep-12																	K
<i>Eriogonum nudum</i> var. <i>murinum</i>	mouse buckwheat	VASC	Polygonaceae			BLMS	1B.2		G5T2	S2.2		No					K					K								
<i>Eriogonum ovalifolium</i> var. <i>vineum</i>	Cushenberry buckwheat	VASC	Polygonaceae	FE			1B.1		G5T1	S1		No	13-Sep-12	A draft Recovery Plan was issued in 1997 but as of 09/2012 was not final. Some of the recovery actions in the draft plan have been started and partially implemented.				K												
<i>Eriogonum prociduum</i>	prostrate buckwheat	VASC	Polygonaceae			BLMS	1B.2	W	G3	S2.2 (CA); S1 (NV)		No		Found in the Ash Valley RNA/ACEC.	K														K	

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Eriogonum temblorense</i>	Temblor buckwheat	VASC	Polygonaceae			BLMS	1B.2		G2	S2.2		No		Known only from eastern Monterey Co., eastern San Luis Obispo Co., and western Kern Co. Within the Bakersfield Field Office it occurs on shaly/barren soils in the Temblor Range and Elkhorn Plain. This habitat type appears to be very scattered and limited.			K												
<i>Eriogonum thornei</i>	Thorne's buckwheat	VASC	Polygonaceae		SE	BLMS	1B.2		G1	S1		No	13-Sep-12	Formerly <i>E. ericifolium</i> var. <i>thornei</i> , now elevated to species.									K						
<i>Eriogonum umbellatum</i> var. <i>ahartii</i>	Ahart's buckwheat	VASC	Polygonaceae			BLMS	1B.2		G5T2	S2		No	03-Oct-11	Currently shown in 5 locations close to BLM lands. Rarefind shows that locations are near West Branch of Feather River, De Sabla, South of Paradise Lake, and near Magalia Reservoir on scattered parcels.											S				
<i>Eriogonum umbellatum</i> var. <i>glaberrimum</i>	green buckwheat	VASC	Polygonaceae			BLMS	1B.3		G5T2?	S1.3		No			S													S	
<i>Eriogonum ursinum</i> var. <i>erubescens</i>	blushing wild buckwheat	VASC	Polygonaceae			BLMS	1B.3		G3G4T2	S2.3		No	15-Nov-10	CNDDDB maps very close to BLM lands, especially Occurrence 1.											S				
<i>Eriophyllum mohavense</i>	Barstow woolly-sunflower	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	13-Sep-12				K										K		
<i>Erysimum ammophilum</i>	coast wallflower	VASC	Brassicaceae			BLMS	1B.2		G2	S2.2		No										K							
<i>Erysimum menziesii</i> subsp. <i>eurekaense</i>	Humboldt Bay wallflower	VASC	Brassicaceae	FE	SE		1B.1		G3?T1	S1		Yes	13-Sep-12			K													
<i>Erythronium citrinum</i> var. <i>roderickii</i>	Scott Mtn. fawn lily	VASC	Liliaceae			BLMS	1B.3		G4T3	S3		No	15-Nov-10												S				
<i>Erythronium tuolumnense</i>	Tuolumne fawn-lily	VASC	Liliaceae			BLMS	1B.2		G2	S2		No	13-Sep-12									K							
<i>Eschscholzia minutiflora</i> subsp. <i>twisselmannii</i>	Red Rock poppy	VASC	Papaveraceae			BLMS	1B.2		G5T2	S2.2		No		El Paso Mts.													K		
<i>Eschscholzia rhombipetala</i>	diamond-petaled California poppy	VASC	Papaveraceae			BLMS	1B.1		G1	S1.1		No					S												
<i>Fremontodendron decumbens</i>	Pine Hill flannelbush	VASC	Malvaceae	FE	SR		1B.2		G1	S1		Yes	13-Sep-12									K							
<i>Fremontodendron mexicanum</i>	Mexican flannelbush	VASC	Malvaceae	FE	SR		1B.1		G1	S1		No	13-Sep-12								K			K					

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Fritillaria falcata</i>	talus fritillary	VASC	Liliaceae			BLMS	1B.2		G2	S2.2		No										K								
<i>Fritillaria gentneri</i>	Gentner's fritillaria	VASC	Liliaceae	FE			1B.1		G1	S1		Yes	13-Sep-12												K					
<i>Fritillaria ojaiensis</i>	Ojai fritillary	VASC	Liliaceae			BLMS	1B.2		G2	S2		No	13-Sep-12			S														
<i>Fritillaria pluriflora</i>	adobe-lily	VASC	Liliaceae			BLMS	1B.2		G3	S3		No	22-Nov-10	Documented in the Ukiah Field Office within the proposed right-of-way of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010). Also occurs elsewhere in the Ukiah Field Office.											S					K
<i>Fritillaria striata</i>	striped adobe-lily	VASC	Liliaceae		ST	BLMS	1B.1		G2	S2		No	13-Sep-12			S														
<i>Fritillaria viridea</i>	San Benito fritillary	VASC	Liliaceae			BLMS	1B.2		G2	S2		No	13-Sep-12									K								
<i>Galium angustifolium subsp. onycense</i>	Onyx peak bedstraw	VASC	Rubiaceae			BLMS	1B.3		G5T2	S2.3		No				K														
<i>Galium californicum subsp. primum</i>	Alvin Meadow bedstraw	VASC	Rubiaceae			BLMS	1B.2		G5T1Q	S1		No	13-Sep-12											S						
<i>Galium californicum subsp. sierrae</i>	El Dorado bedstraw	VASC	Rubiaceae	FE	SR		1B.2		G5T1	S1		Yes	13-Sep-12									K								
<i>Galium glabrescens subsp. modocense</i>	Modoc bedstraw	VASC	Rubiaceae			BLMS	1B.2		G4T2	S2.2		No			S													K		
<i>Galium grande</i>	San Gabriel bedstraw	VASC	Rubiaceae			BLMS	1B.2		G2	S2.2		No												S						
<i>Galium hardhamiae</i>	Hardham's bedstraw	VASC	Rubiaceae			BLMS	1B.3		G2	S2.3		No				K														
<i>Galium hilendiae subsp. kingstonense</i>	Kingston bedstraw	VASC	Rubiaceae			BLMS	1B.3		G4T2	S1.3		No					K					K								
<i>Galium serpenticum subsp. scotticum</i>	Scott Mtn. bedstraw	VASC	Rubiaceae			BLMS	1B.2		G4G5T2	S2.2		No													K					
<i>Galium serpenticum subsp. warnerense</i>	Warner Mtns. bedstraw	VASC	Rubiaceae			BLMS	1B.2		G4G5T2	S1.2		No			S													S		

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Gentiana setigera</i>	Mendocino gentian	VASC	Gentianaceae			BLMS	1B.2		G2	S1		No				K														
<i>Gilia millefoliata</i>	dark-eyed gilia	VASC	Polemoniaceae			BLMS	1B.2		G2	S2.2		No				K														
<i>Gilia tenuiflora subsp. arenaria</i>	sand gilia	VASC	Polemoniaceae	FE	ST		1B.2		G3G4T2	S2		Yes										K								
<i>Glossopetalon pungens</i>	pungent glossopetalon	VASC	Crossosomataceae			BLMS	1B.2		G2G3	S1.3		No											K							
<i>Gratiola heterosepala</i>	Boggs Lake hedge-hyssop	VASC	Plantaginaceae		SE	BLMS	1B.2		G2	S2		No		This is a vernal pool plant. Can be found in man-made reservoirs.	K		K			K							K			
<i>Grindelia fraxinipratensis</i>	Ash Meadows gum-plant	VASC	Asteraceae	FT			1B.2		G2	S1	CE	Yes	13-Sep-12																	
<i>Grindelia hallii</i>	San Diego gumplant	VASC	Asteraceae			BLMS	1B.2		G2	S2.2		No	30-Jan-12	Although CNDDDB occurrence 13 is nonspecific, the record states that plant was found on BLM lands.																
<i>Gymnopilus punctifolius</i>	'blue-green gymnopilus'	FUNG	Cortinariaceae			BLMS			G3G4	None		No	16-Nov-10			K														
<i>Harmonia doris-nilesiae</i>	Niles's harmonia	VASC	Asteraceae			BLMS	1B.1		G2	S2.1		No	15-Nov-10	Formerly <i>Madia doris-nilesiae</i> T.W. Nelson & J.P. Nelson.													S			
<i>Harmonia hallii</i>	Hall's harmonia	VASC	Asteraceae			BLMS	1B.2		G2	S2?		No	13-Sep-12	Formerly <i>Madia hallii</i> Keck. Documented in the Ukiah Field Office within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010). Also elsewhere in the Ukiah Field Office.																K
<i>Harmonia stebbinsii</i>	Stebbins's harmonia	VASC	Asteraceae			BLMS	1B.2		G2	S2.2		No	15-Nov-10	Formerly <i>Madia stebbinsii</i> T.W. Nelson & J.P. Nelson.													K			
<i>Hazardia orcuttii</i>	Orcutt's Hazardia	VASC	Asteraceae	FC	ST	BLMS	1B.1		G1	S1		No															S			
<i>Helianthella castanea</i>	Diablo rock-rose	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	13-Sep-12																	

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Helianthus niveus subsp. tephrodes</i>	Algodones Dunes sunflower	VASC	Asteraceae		SE	BLMS	1B.2		G4T2	S2		No	13-Sep-12								K									
<i>Hesperovax sparsiflora subsp. brevifolia</i>	short-leaved evax	VASC	Asteraceae			BLMS	1B.2		G4T2T3	S2S3		No	15-Nov-10	On BLM at Mattole Beach (in great numbers acc. Jennifer Wheeler) and at Samoa.		K													S	
<i>Hesperidanthus jaegeri</i>	Jaeger's caulostramina	VASC	Brassicaceae			BLMS	1B.2		G1	S1.2		No	15-Nov-10	Formerly <i>Caulostramina jaegeri</i> (Roll.) Roll.				S									K			
<i>Hesperocypris forbesii</i>	Tecate cypress	VASC	Cupressaceae			BLMS	1B.1		G2	S1.1		No	15-Nov-10	Formerly in <i>Cupressus</i> . Then moved to <i>Callitropsis forbesii</i> by Little (2006) Syst. Bot. 31(3):461-480. The Jepson Manual second edition uses the name above in accordance with Adams et al. 2009 Phytologia 91: 160-185.																
<i>Hesperocypris nevadensis</i>	Piute cypress	VASC	Cupressaceae			BLMS	1B.2		G2	S2.2		No	15-Nov-10	Formerly in <i>Cupressus</i> . Then moved to <i>Callitropsis forbesii</i> by Little (2006) Syst. Bot. 31(3):461-480. The Jepson Manual second edition uses the name above in accordance with Adams et al. 2009 Phytologia 91: 160-185.			K													
<i>Hesperolinon adenophyllum</i>	glandular western flax	VASC	Linaceae			BLMS	1B.2		G2	S2.3		No																	K	
<i>Hesperolinon breweri</i>	Brewer's dwarf flax	VASC	Linaceae			BLMS	1B.2		G2	S2		No	13-Sep-12																S	
<i>Hesperolinon didymocarpum</i>	Lake County dwarf flax	VASC	Linaceae		SE	BLMS	1B.2		G1	S1		No	13-Sep-12																S	

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH		
<i>Hesperolinon drymarioides</i>	drymaria-like western flax	VASC	Linaceae			BLMS	1B.2		G2	S2		No	13-Sep-12	Documented in the Ukiah Field Office within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010). Also occurs elsewhere in the Ukiah Field Office.																K	
<i>Hesperolinon tehamense</i>	Tehama County western flax	VASC	Linaceae			BLMS	1B.3		G2	S2		No	13-Sep-12																	K	
<i>Heterodermia leucomelos</i>	ciliate strap-lichen	LICH	Physciaceae			BLMS			G4	None		No	16-Nov-10			K															
<i>Heterotheca shevockii</i>	Shevock's golden-aster	VASC	Asteraceae			BLMS	1B.3		G1	S1.3		No	15-Nov-10			S															
<i>Heuchera brevistaminea</i>	Laguna Mountains alumroot	VASC	Saxifragaceae			BLMS	1B.3		G2	S2.3		No	12-Oct-11	CNDDDB occurrence 5 is located on BLM lands.																K	
<i>Horkelia bolanderi</i>	Bolander's horkelia	VASC	Rosaceae			BLMS	1B.2		G1	S1.2		No	12-Oct-11	Very non-specific occurrence, CNDDDB occurrence 9, encompasses BLM lands, Vollmar 2010 reported suitable habitat is present.																S	
<i>Horkelia hendersonii</i>	Henderson's horkelia	VASC	Rosaceae			BLMS	1B.1		G1	S1		No	13-Sep-12																	S	
<i>Horkelia parryi</i>	Parry's horkelia	VASC	Rosaceae			BLMS	1B.2		G2	S2.2		No																			K
<i>Horkelia tenuiloba</i>	thin-lobed horkelia	VASC	Rosaceae			BLMS	1B.2		G2	S2.2		No	15-Nov-10	Suspected to occur on BLM lands on and near Willis Ridge, acc. Jennifer Wheeler.		S															
<i>Hulsea californica</i>	San Diego sunflower	VASC	Asteraceae			BLMS	1B.3		G2	S2.1		No	12-Oct-11	CNDDDB occurrence 2 and 24 are located on BLM lands. Occurrences 10, 14, 22, 23, 26 are non-specific CNDDDB occurrences that are located next to BLM lands.							K										
<i>Hydropus marginellus</i>	'little brown mushroom'	FUNG	Tricholomataceae			BLMS			G3	None		No	16-Nov-10			K															

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Iris hartwegii</i> subsp. <i>columbiana</i>	Tuolumne iris	VASC	Iridaceae			BLMS	1B.2		G4T2	S2.2		No	03-Oct-11										K						
<i>Iris munzii</i>	Munz's iris	VASC	Iridaceae			BLMS	1B.3		G2	S2.3		No				S													
<i>Ivesia aperta</i> var. <i>aperta</i>	Sierra Valley ivesia	VASC	Rosaceae			BLMS	1B.2	T	G2T2	S2.2 (CA); S1 (NV)		No								K									
<i>Ivesia jaegeri</i>	Jaeger's ivesia	VASC	Rosaceae			BLMS	1B.3		G2G3	S1.3		No											K						
<i>Ivesia kingii</i> var. <i>kingii</i>	alkali ivesia	VASC	Rosaceae			BLMS	2.2		G4T3Q	S2		No	19-Aug-09	Moved from CNPS 1B.2 to 2.2 on 11/23/08 because more common in NV.															
<i>Ivesia longibracteata</i>	Castle Crag ivesia	VASC	Rosaceae			BLMS	1B.3		G1	S1.3		No													S				
<i>Ivesia paniculata</i>	Ash Creek ivesia	VASC	Rosaceae			BLMS	1B.2		G2	S2.2		No		Found in the Ash Valley RNA/ACEC.	K														
<i>Ivesia patellifera</i>	Kingston Mtns. ivesia	VASC	Rosaceae			BLMS	1B.3		G1	S1.3		No					K						K						
<i>Ivesia pickeringii</i>	Pickering's ivesia	VASC	Rosaceae			BLMS	1B.2		G2	S2.2		No													S				
<i>Ivesia rhypara</i> var. <i>rhypara</i>	grimy ivesia	VASC	Rosaceae			BLMS		W	G2T1	S2 (NV)		No	15-Nov-10	This plant has 5 small occurrences in the Surprise Field Office within one mile of each other in NV. Listed as Endangered by the State of Oregon.														K	
<i>Ivesia sericoleuca</i>	Plumas ivesia	VASC	Rosaceae			BLMS	1B.2		G2G3	S2S3		No								S									
<i>Ivesia webberi</i>	Webber's ivesia	VASC	Rosaceae	FC		BLMS	1B.1	T	G2	S2.1 (CA); S1 (NV)	CE	No								K									
<i>Juncus leiospermus</i> var. <i>leiospermus</i>	Red Bluff dwarf rush	VASC	Juncaceae			BLMS	1B.1		G2T2	S2.2		No														K			
<i>Kaernefeltia californica</i>	seaside thornbush	LICH	Parmeliaceae			BLMS			G3	None		No	16-Nov-10			K													
<i>Lasthenia conjugens</i>	Contra Costa goldfields	VASC	Asteraceae	FE			1B.1		G1	S1		Yes	13-Sep-12	Fort Ord.								K							
<i>Lasthenia glabrata</i> subsp. <i>coulteri</i>	Coulter's goldfields	VASC	Asteraceae			BLMS	1B.1		G4T3	S2.1		No					K												
<i>Layia carnosa</i>	beach layia	VASC	Asteraceae	FE	SE		1B.1		G2	S2		Yes	13-Sep-12			K													

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Layia discoidea</i>	rayless tidytips	VASC	Asteraceae			BLMS	1B.1		G2	S2.2		No										K							
<i>Layia heterotricha</i>	pale-yellow layia	VASC	Asteraceae			BLMS	1B.1		G2	S2		No	13-Sep-12			K						K							
<i>Layia jonesii</i>	Jones' layia	VASC	Asteraceae			BLMS	1B.2		G1	S1.1		No				S													
<i>Layia leucopappa</i>	Comanche Point layia	VASC	Asteraceae			BLMS	1B.1		G1	S1.1		No				S													
<i>Layia munzii</i>	Munz's tidy-tips	VASC	Asteraceae			BLMS	1B.2		G1	S1.1		No				K													
<i>Layia septentrionalis</i>	Colusa layia	VASC	Asteraceae			BLMS	1B.2		G2	S2.2		No													S			S	
<i>Legenere limosa</i>	legenere	VASC	Campanulaceae			BLMS	1B.1		G2	S2.2		No													K				
<i>Lepechinia ganderi</i>	Gander's pitcher-sage	VASC	Lamiaceae			BLMS	1B.3		G2	S2.2		No												K					
<i>Lepidium flavum var. felipense</i>	Borrego Valley pepper-grass	VASC	Brassicaceae			BLMS	1B.2		G5T1	S1.2		No	16-Nov-10	This var. not recognized by the Jepson Manual 2nd edition or by Flora North America.										S					
<i>Lepidium jaredii subsp. album</i>	Panoche pepper-grass	VASC	Brassicaceae			BLMS	1B.2		G1T1	S1.2		No	16-Nov-10	This subsp. not recognized by Jepson Manual 1st or 2nd editions or by Flora North America.								K							
<i>Lepidium jaredii subsp. jaredii</i>	Jared's pepper-grass	VASC	Brassicaceae			BLMS	1B.2		G1T1	S1.2		Yes	16-Nov-10	Subspecies of <i>L. jaredii</i> are not recognized in Jepson Manual 1st or 2nd editions or by Flora North America.			K												
<i>Lepidium virginicum var. robinsonii</i>	Robinson's pepper-grass	VASC	Brassicaceae			BLMS	1B.2		G5T3	S3		No	13-Sep-12	Nonspecific CNDDDB occurrences within BLM lands.										S					
<i>Leptosiphon nuttallii subsp. howellii</i>	Mt. Tedoc linanthus	VASC	Polemoniaceae			BLMS	1B.3		G5T2	S2		No	13-Sep-12	Formerly <i>Linanthus nuttallii</i> Mlkn. Subsp. <i>howellii</i> Nelson & Patterson.											S				
<i>Leptosyne hamiltonii</i>	Mt. Hamilton coreopsis	VASC	Asteraceae			BLMS	1B.2		G2	S2.2		No	15-Nov-10	Formerly <i>Coreopsis hamiltonii</i> (Elmer) H.K. Sharsm.								K							
<i>Leucogaster citrinus</i>	'yellow false truffle'	FUNG	Leucogastraceae			BLMS			G3G4	None		No	16-Nov-10			K													
<i>Lewisia cantelovii</i>	Cantelow's lewisia	VASC	Portulacaceae			BLMS	1B.2		G3	S3		No	13-Sep-12									K			S				
<i>Lewisia cotyledon var. heckneri</i>	Heckner's lewisia	VASC	Portulacaceae			BLMS	1B.2		G4T2	S2.2		No													K				
<i>Lilium occidentale</i>	western lily	VASC	Liliaceae	FE	SE		1B.1		G1	S1		Yes	13-Sep-12			S													

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Limnanthes alba subsp. parishii</i>	Cuyamaca meadowfoam	VASC	Limnanthaceae		SE	BLMS	1B.2		G3T2T3	S2S3		No	13-Sep-12	Formerly <i>L. gracilis</i> J.T.Howell subsp. <i>parishii</i> (Jeps.) C. Mason										S					
<i>Limnanthes bakeri</i>	Baker's meadowfoam	VASC	Limnanthaceae		SR	BLMS	1B.1		G1	S1.1		No			S														
<i>Limnanthes floccosa subsp. bellingeriana</i>	Bellinger's meadowfoam	VASC	Limnanthaceae			BLMS	1B.2		G4T2	S1.1		No	16-Nov-10		S										S				
<i>Limnanthes floccosa subsp. californica</i>	Butte County meadowfoam	VASC	Limnanthaceae	FE	SE		1B.1		G4T1	S1		Yes	13-Sep-12											S					
<i>Linanthus maculatus</i>	Little San Bernardino Mtns. linanthus	VASC	Polemoniaceae			BLMS	1B.2		G2	S2		No	13-Sep-12	Formerly <i>Gilia maculata</i> Parrish.			K							K					
<i>Linanthus orcuttii</i>	Orcutt's linanthus	VASC	Polemoniaceae			BLMS	1B.3		G4	S2		No	13-Sep-12											S					
<i>Lobaria oregana</i>	Oregon lettuce lung	LICH	Lobariaceae			BLMS			None	None		No	16-Nov-10		K														
<i>Loeflingia squarrosa var. artemisiarum</i>	Sagebrush loeflingia	VASC	Caryophyllaceae			BLMS	2.2		G5T2T3	S2.2		No	18-Nov-10	Known to CA from only Lassen County (6 occ), Inyo County (5 occ), and two occurrences from Kern and Los Angeles counties. Three occurrences on Eagle Lake FO lands, 3 on private, and disjunct. Threatened by livestock trampling.				K	K										S
<i>Lomatium congdonii</i>	Congdon's lomatium	VASC	Apiaceae			BLMS	1B.2		G2	S2.2		No										K							
<i>Lomatium roseanum</i>	adobe lomatium	VASC	Apiaceae			BLMS	1B.2	W	G2G3	S1.2 (CA); S2S3 (NV)		No	16-Nov-10	Mike Dolan found ca. 500 plants on Likely Tablelands, in low sage infested with medusahead. Lat: 41.271339 degrees N, Long: -120.493347 degrees W; above and to south of Romero creek, 4,640', clay loam soil.	K													S	
<i>Lomatium shevockii</i>	Owens Peak lomatium	VASC	Apiaceae			BLMS	1B.3		G1	S1.3		No				K										K			
<i>Lupinus citrinus var. citrinus</i>	orange lupine	VASC	Fabaceae			BLMS	1B.2		G2T2	S2.2		No				S													

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Lupinus citrinus var. deflexus</i>	Mariposa lupine	VASC	Fabaceae		ST	BLMS	1B.2		G2T1	S1		No	13-Sep-12	Previously shown as S in Hollister, a holdover from the time that Hollister managed BLM lands in Mariposa County. Removed as S from Hollister and put as S in Mother Lode. There are occurrences within 550 m from isolated BLM lands in T6S,R 19E, S6, MDM.								S								
<i>Lupinus duranii</i>	Mono Lake lupine	VASC	Fabaceae			BLMS	1B.2		G2	S2.2		No						K												
<i>Lupinus excubitus var. medius</i>	Mountain Springs bush lupine	VASC	Fabaceae			BLMS	1B.3		G4T2T3	S2		No									K			K						
<i>Lupinus ludovicianus</i>	San Luis Obispo County lupine	VASC	Fabaceae			BLMS	1B.2		G2	S2.2		No				S														
<i>Lupinus magnificus var. hesperius</i>	McGee Meadows lupine	VASC	Fabaceae			BLMS	1B.3		G3T2Q	S2.3		No	16-Nov-10	Jepson Manual 2nd edition equivocal about whether to recognize this variety, states: "If recognized taxonomically, straight-keeled pls from SNE assignable to <i>Lupinus magnificus var. hesperius</i> (A. Heller) C.P. Sm., McGee Meadows lupine." After review, CNPS and CNDDDB kept as 1B.3 by decision dated Feb. 8, 2012. Occurs on Mt. Tom.				K												
<i>Lupinus magnificus var. magnificus</i>	Panamint Mtns. lupine	VASC	Fabaceae			BLMS	1B.2		G3T1Q	S1.2		No	16-Nov-10					S								K				
<i>Lupinus sericatus</i>	Cobb Mountain lupine	VASC	Fabaceae			BLMS	1B.2		G2	S2.2		No	16-Nov-10	Walker Ridge/Bear Creek, Sulphur Creek sub-watershed (Source: Jim Weigand).															K	
<i>Lupinus spectabilis</i>	shaggyhair lupine	VASC	Fabaceae			BLMS	1B.2		G2	S2.2		No										K								
<i>Lupinus uncialis</i>	lilliput lupine	VASC	Fabaceae			BLMS	2.2		G4	S2.2		No	16-Nov-10	Five occurrences known to Alturas Field Office. Twenty total occurrences in CA, most on private lands, and some converted to homesites. Disjunct in CA. CA occurrences important for maintaining genetic viability of the species. Threats include grazing.	K															

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Madia radiata</i>	showy golden madia	VASC	Asteraceae			BLMS	1B.1		G2	S2.1		No					S					K							
<i>Malacothamnus aboriginum</i>	Indian Valley bush mallow	VASC	Malvaceae			BLMS	1B.2		G2	S2		No	13-Sep-12									K							
<i>Malacothamnus hallii</i>	Hall's bush-mallow	VASC	Malvaceae			BLMS	1B.2		G2Q	S2		No	18-Sep-12	CNDDDB occurrence 38, population found on BLM lands on 6/2011.															K
<i>Malacothamnus palmeri var. involucratus</i>	Carmel Valley bush-mallow	VASC	Malvaceae			BLMS	1B.2		G3T2Q	S2.2		No										K							
<i>Malacothamnus palmeri var. lucianus</i>	Arroyo Seco bush-mallow	VASC	Malvaceae			BLMS	1B.2		G3T1Q	S1.2		No	16-Nov-10									K							
<i>Malacothrix saxatilis var. arachnoidea</i>	Carmel Valley malacothrix	VASC	Asteraceae			BLMS	1B.2		G5T2	S2.2		No										S							
<i>Menodora spinescens var. mohavensis</i>	Mojave menodora	VASC	Oleaceae			BLMS	1B.2		G4T2T3	S2S3		No	18-Sep-12	CNDDDB mapped occurrences on BLM lands. One, Occurrence 10 on BLM lands slated for renewable energy.				K											
<i>Mentzelia inyoensis</i>	Inyo blazing star	VASC	Loasaceae			BLMS	1B.3	W	G2	S2.3		No	16-Nov-10	According to Anne Halford we have occurrences in Fish Slough and Travertine Hot Springs, and there's a very large population on the Inyo National Forest near Black Point (Mono Lake).					K										
<i>Mentzelia polita</i>	polished blazing star	VASC	Loasaceae			BLMS	1B.2		G2	S1.2		No	08-Dec-10	CNDDDB maps one nonspecific occurrence on BLM land just north of the Eastern Mojave National Preserve on the Clark Mountain quad. CNPS Rare Plant Treasure Hunt found a new occurrence (CNDDDB Occurrence No. 3) on the Ivanpah Lake quad.									K						
<i>Mentzelia tridentata</i>	creamy blazing star	VASC	Loasaceae			BLMS	1B.3		G2	S2.3		No	16-Nov-10	E. of Cuddeback Lake.													S		
<i>Mimulus evanescens</i>	ephemeral monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G2	S1.2		No	16-Nov-10		K					S						S			
<i>Mimulus filicaulis</i>	slender-stemmed monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G2	S2.2		No	16-Nov-10									K							
<i>Mimulus gracilipes</i>	slender-stalked monkerflower	VASC	Phrymaceae			BLMS	1B.2		G3	S3.2		No	16-Nov-10			S													
<i>Mimulus mohavensis</i>	Mojave monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G2	S2		No	13-Sep-12				K												

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Mimulus norrisii</i>	Kaweah monkeyflower	VASC	Phrymaceae			BLMS	1B.3		G2	S2.3		No	16-Nov-10			K													
<i>Mimulus pictus</i>	Calico monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G2	S2.2		No	16-Nov-10			K													
<i>Mimulus pulchellus</i>	pansy monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G2G3	S2S3		No	13-Sep-12									K							
<i>Mimulus shevockii</i>	Kelso Creek monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G2	S2		No	13-Sep-12			K											K		
<i>Minuartia howellii</i>	Howell's sandwort	VASC	Caryophyllaceae			BLMS	1B.3		G4	S2		No	13-Sep-12														S		
<i>Minuartia stolonifera</i>	Scott Mtn. sandwort	VASC	Caryophyllaceae			BLMS	1B.3		G1	S1.3		No															S		
<i>Monardella beneolens</i>	sweet-smelling monardella	VASC	Lamiaceae			BLMS	1B.3		G1	S1.3		No		S. Sierra Nevada.													K		
<i>Monardella boydii</i>	Boyd's monardella	VASC	Lamiaceae			BLMS	1B.2		G2Q	S2		No	13-Sep-12	Specific CNDDDB occurrences on BLM lands in Rodman Mtn Wilderness and Ord Mtn.			K												
<i>Monardella eremicola</i>	Clark Mountain monardella	VASC	Lamiaceae			BLMS	1B.3		G2G3Q	S2S3		No	18-Sep-12	This species was added as California Rare Plant Rank 1B.3 on 12-16-2011. The CNDDDB maps three occurrences on BLM lands in the Kingston Mountains, all of which list BLM as the landowner.									K						
<i>Monardella linoides subsp. oblonga</i>	Tehachapi monardella	VASC	Lamiaceae			BLMS	1B.3		G5T2	S2.2		No	13-Sep-12	CNDDDB maps specific occurrences on BLM in the Tehachapi Mountains.													K		

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH		
<i>Monardella nana subsp. leptosiphon</i>	San Felipe monardella	VASC	Lamiaceae			BLMS	1B.2		G4G5T2	S2.2		No	13-Sep-12	Kevin Doran received a comment from WO on draft South Coast RMP about not having this as a SS plant. Review of RareFind information on 1-13-2011 shows that the plant is not very close to public lands in Palm Springs (mostly higher elevation FS lands), but that Occurrence 12 is close to public lands in El Centro (Banner Canyon area). CNPS and CNDDDB originally considered dropping the species from its lists because The Jepson Manual, Second Edition, does not recognize any of the subspecies of M. nana. However, following a review on the CNPS Forum, the decision was made on 9-4-2012 to retain the taxon as a California Rare Plant Rank 1B.2 plant.						S											
<i>Monardella robisonii</i>	Robison monardella	VASC	Lamiaceae			BLMS	1B.3		G3	S3		No	13-Sep-12				K														



SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Monolopia congdonii</i>	San Joaquin woolly threads	VASC	Asteraceae	FE			1B.2		G3	S3		Yes	13-Sep-12	Formerly <i>Lembertia congdonii</i> (A. Gray) Greene.			K					K							
<i>Mycena quinaultensis</i>	'little brown mushroom'	FUNG	Tricholomataceae			BLMS			G3	None		No	16-Nov-10			K													
<i>Navarretia leucocephala</i> <i>subsp. bakeri</i>	Baker's navarretia	VASC	Polemoniaceae			BLMS	1B.1		G4T2	S2		No	13-Sep-12												S				
<i>Navarretia nigelliformis</i> <i>subsp. radians</i>	shining navarretia	VASC	Polemoniaceae			BLMS	1B.2		G4T2	S2		No	13-Sep-12	Mason collection along Clear Creek Rd. Collection by Michael Denslow, Vern Yadon, and Julie Anne Delgado from a north fork of Cantua Creek; coordinates at Consortium of CA Herbaria are on BLM lands.								K							
<i>Navarretia setiloba</i>	Piute Mountains navarretia	VASC	Polemoniaceae			BLMS	1B.1		G1	S1.1		No					K												
<i>Nemacladus twisselmannii</i>	Twisselmann's nemacladus	VASC	Campanulaceae		SR	BLMS	1B.2		G1	S1.2		No					S												
<i>Neviusia cliftonii</i>	Shasta snow-wreath	VASC	Rosaceae			BLMS	1B.2		G2	S2.2		No													S				
<i>Nitrophila mohavensis</i>	Amargosa niterwort	VASC	Amaranthaceae	FE	SE		1B.1		G1	S1	CE	Yes	13-Sep-12	Formerly included in the family Chenopodiaceae but now considered by the Jepson Manual, 2nd edition, to be a member of the family Amaranthaceae.				K											
<i>Nolina interrata</i>	Dehesa nolina, bear grass	VASC	Ruscaceae		SE	BLMS	1B.1		G2	S2		No	13-Sep-12												S				
<i>Oenothera wolfii</i>	Wolf's evening-primrose	VASC	Onagraceae			BLMS	1B.1		G1	S1.1		No				S													

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Opuntia basilaris var. brachyclada</i>	short-joint beavertail	VASC	Cactaceae			BLMS	1B.2		G5T3	S3		No	13-Sep-12	Until March 8, 2004, this var. had been considered K in both Needles and Barstow. But the Jepson Manual does not consider this a desert species, and a report by Pamela MacKay calls into question whether it ever occurred in the eastern Mojave. The draft BLM West Mojave Plan states that it only occurs on private lands in the WEMO planning area. It was therefore been changed to "S" in both Needles and Barstow. The CNPS Rare Plant Treasure Hunt documented an occurrence about 1 mile north of Cajon Pass on BLM land in 2010. The taxon has therefore been moved back to "K" for Barstow.			K						S							
<i>Opuntia basilaris var. treleasei</i>	Bakersfield cactus	VASC	Cactaceae	FE	SE		1B.1		G5T1	S1		No	13-Sep-12	The Fish and Wildlife Service uses the name <i>O. treleasei</i> J.M. Coult., but both Jepson Manual 1st and 2nd editions use the nomenclature shown above. Occurs on split estate (private surface, BLM subsurface).			S													
<i>Orcuttia californica</i>	California orcutt grass	VASC	Poaceae	FE	SE		1B.1		G1	S1		Yes	13-Sep-12											S						
<i>Orcuttia inaequalis</i>	San Joaquin Valley orcutt grass	VASC	Poaceae	FT	SE		1B.1		G1	S1		Yes	13-Sep-12			K					K									
<i>Orcuttia pilosa</i>	hairy orcutt grass	VASC	Poaceae	FE	SE		1B.1		G1	S1		Yes	13-Sep-12												S					
<i>Orcuttia tenuis</i>	slender orcutt grass	VASC	Poaceae	FT	SE		1B.1		G2	S2		Yes	13-Sep-12	This is a vernal pool plant. Only one known population of this plant occurs in the Alturas Field Office.	K												K			
<i>Oreostemma elatum</i>	tall alpine aster	VASC	Asteraceae			BLMS	1B.2		G2Q	S2.2		No							S											
<i>Orthocarpus pachystachyus</i>	Shasta orthocarpus	VASC	Orobanchaceae			BLMS	1B.1		G1	S1.1		No	16-Nov-10	Previously thought to be extinct.											S					
<i>Orthodontium gracile</i>	slender thread moss	BRYO	Bryaceae			BLMS			G5	None		No				S														

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATÁ	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Orthotrichum shevockii</i>	moss	BRYO	Bryaceae			BLMS	1B.3		G2	S2		No	13-Sep-12				S												
<i>Packera eurycephala</i> var. <i>lewisrosei</i>	cut-leaved ragwort	VASC	Asteraceae			BLMS	1B.2		G4T2	S2.2		Yes	18-Nov-10	Formerly <i>Senecio eurycephalus</i> Torrey & A. Gray var. <i>lewisrosei</i> (J.T. Howell) T.M. Barkley.											K				
<i>Packera ganderi</i>	Gander's butterweed	VASC	Asteraceae		SR	BLMS	1B.2		G2	S2.2		No	18-Nov-10	Formerly <i>Senecio ganderi</i> T.M. Barkley & R.M. Beauch. Known on Potrero Mt. (Potrero Peak in spring 2007).											K				
<i>Packera layneae</i>	Layne's butterweed	VASC	Asteraceae	FT	SR		1B.2		G2	S2		No	13-Sep-12	Formerly <i>Senecio layneae</i> Greene.								K			S				
<i>Palafoxia arida</i> var. <i>gigantea</i>	giant Spanish needle	VASC	Asteraceae			BLMS	1B.3		G5T3	S2		No	13-Sep-12								K								
<i>Panicum acuminatum</i> var. <i>thermale</i>	Geyser's panicum	VASC	Poaceae		SE	BLMS	1B.1		G5T1Q	S1.1		No	15-Nov-10	Formerly <i>Dichanthelium lanuginosum</i> (Ell.) Gould var. <i>thermale</i> (Boland.) Spellenberg.															S
<i>Pannaria rubiginosa</i>	petaled mouse	LICH	Pannariaceae			BLMS			G4G5	None		No	16-Nov-10			K													
<i>Paronychia ahartii</i>	Ahart's paronychia	VASC	Carophyllaceae			BLMS	1B.1		G2	S2		No	13-Sep-12												K				
<i>Pedicularis centranthera</i>	dwarf lousewort	VASC	Orobanchaceae			BLMS	2.3		G4	S1.2		No	16-Nov-10	Only five known occurrences form CA, all from Secret Valley in Lassen Co, on BLM lands managed by the Eagle Lake Field Office. These occurrences are rather disjunct from Harney and Lake counties in OR and primarily the eastern half of NV.					K										
<i>Pediomelum castoreum</i>	Beaver Dam breadroot	VASC	Fabaceae			BLMS	1B.2		G3	S2		No	13-Sep-12	Reranked from California Rare Plant Rank 4.3 to 1B.2 on 6-29-2011. Not yet mapped in CNDDDB. Occurrence 22 occurs on BLM lands in the Needles FO. Several other occurrences are either on or near BLM lands in the Barstow FO.				K						K					
<i>Penstemon albomarginatus</i>	white-margined beardtongue	VASC	Plataginaceae			BLMS	1B.1		G2	S1		No	16-Nov-10				K							K					
<i>Penstemon bicolor</i> subsp. <i>roseus</i>	rosy two-toned beardtongue	VASC	Plataginaceae			BLMS	1B.1		G3T3Q	S1		No	13-Sep-12	On BLM lands near Castle Mt. Mine and Hart Mt. Moved from CNPS List 2.2 to List 1B.1 on 12/8/09.										K					

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Penstemon filiformis</i>	thread-leaved beardtongue	VASC	Plantaginaceae			BLMS	1B.3		G3	S3		No	16-Nov-10												S				
<i>Penstemon fruticiformis</i> <i>var. amargosae</i>	Death Valley beardtongue	VASC	Plantaginaceae			BLMS	1B.3		G4T3	S2.3		No	16-Nov-10				K							K					
<i>Penstemon janishiae</i>	Janish's beardtongue	VASC	Plantaginaceae			BLMS	2.2		G4	S1.2		No	16-Nov-10	Status of populations unknown; some have been extirpated. Threats are logging and home site development. Rare in CA, OR, and ID. CNDDDB Occurrence 8 is mapped specifically on BLM lands. Occurrence 9 is nonspecific but entire mapped polygon on BLM. Changed from S to K on 8-19-09.	K														
<i>Penstemon personatus</i>	closed-throated beardtongue	VASC	Plantaginaceae			BLMS	1B.2		G2	S2.2		No	16-Nov-10												S				
<i>Penstemon stephensii</i>	Stephens' beardtongue	VASC	Plantaginaceae			BLMS	1B.3		G2	S2		No	13-Sep-12				K								K				
<i>Penstemon sudans</i>	Susanville beardtongue	VASC	Plantaginaceae			BLMS	1B.3		G3	S3		No	16-Nov-10						K										
<i>Pentachaeta exilis subsp. aeolica</i>	slender pentachaeta	VASC	Asteraceae			BLMS	1B.2		G5T1	S1		No	13-Sep-12									K							
<i>Perityle inyoensis</i>	Inyo rock daisy	VASC	Asteraceae			BLMS	1B.2		G2	S2.2		No							S									K	
<i>Perityle villosa</i>	Hanaupah rock daisy	VASC	Asteraceae			BLMS	1B.3		G1	S1.3		No		Inyo Mts.														K	
<i>Petalonyx thurberi subsp. gilmanii</i>	Death Valley sandpaper-plant	VASC	Loasaceae			BLMS	1B.3		G5T2	S2.3		No					K											K	
<i>Phacelia cookei</i>	Cooke's phacelia	VASC	Boraginaceae			BLMS	1B.1		G1	S1.1		No	16-Nov-10															S	
<i>Phacelia greenei</i>	Scott Valley phacelia	VASC	Boraginaceae			BLMS	1B.2		G2	S2.2		No	16-Nov-10															K	
<i>Phacelia inundata</i>	playa phacelia	VASC	Boraginaceae			BLMS	1B.3	W	G2	S2.3 (CA); S2? (NV)		No	16-Nov-10		S				K										S
<i>Phacelia inyoensis</i>	Inyo phacelia	VASC	Boraginaceae			BLMS	1B.2		G2	S2		No	13-Sep-12	Fish Slough and Alabama Hills.					K										
<i>Phacelia leonis</i>	Siskiyou phacelia	VASC	Boraginaceae			BLMS	1B.3		G2	S2.2		No	16-Nov-10															S	
<i>Phacelia monoensis</i>	Mono County phacelia	VASC	Boraginaceae			BLMS	1B.1	T	G3	S2.1		No	16-Nov-10					K											

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Phacelia mustelina</i>	Death Valley round-leaved phacelia	VASC	Boraginaceae			BLMS	1B.3		G2	S1.3		No	16-Nov-10	Saline Valley.														K	
<i>Phacelia nashiana</i>	Charlotte's phacelia	VASC	Boraginaceae			BLMS	1B.2		G3	S3		No	13-Sep-12				K											K	
<i>Phacelia novemmillensis</i>	Nine Mile Canyon phacelia	VASC	Boraginaceae			BLMS	1B.2		G2	S2.2		No	16-Nov-10				K											K	
<i>Phacelia parishii</i>	Parish's phacelia	VASC	Boraginaceae			BLMS	1B.1		G2G3	S1.1		No	16-Nov-10	The only known population on public lands in Southern California is within and immediately adjacent to a military maneuvering training area. This species was at one time considered extirpated in CA, but was rediscovered in 1989.				K											
<i>Phacelia phacelioides</i>	Mount Diablo phacelia	VASC	Boraginaceae			BLMS	1B.2		G1	S1.2		No	16-Nov-10	Known but very uncommon within ACEC of Clear Creek Management Area acc 2009 Draft CCMA RMP/EIS. Six records from CCNA in Cal Flora 2009.								K							
<i>Phaeocollybia californica</i>	California phaeocollybia	FUNG	Cortinariaceae			BLMS			G2?	None		No	16-Nov-10			K												S	
<i>Phaeocollybia olivacea</i>	olive phaeocollybia	FUNG	Cortinariaceae			BLMS			G3	None		No	16-Nov-10			K												S	
<i>Phaeocollybia piceae</i>	'spruce phaeocollybia'	FUNG	Cortinariaceae			BLMS			G3?	None		No	16-Nov-10			K													
<i>Phaeocollybia pseudofestiva</i>	no common name	FUNG	Cortinariaceae			BLMS			G3	None		No	16-Nov-10			S													
<i>Phaeocollybia scatesiae</i>	no common name	FUNG	Cortinariaceae			BLMS			G3?	None		No	16-Nov-10			K													
<i>Phaeocollybia spadicea</i>	spadicea phaeocollybia	FUNG	Cortinariaceae			BLMS			G3G4	None		No	16-Nov-10			K												S	
<i>Phlox hirsuta</i>	Yreka phlox	VASC	Polemoniaceae	FE	SE		1B.2		G1	S1		Yes															S		
<i>Pholisma sonorae</i>	sand food	VASC	Boraginaceae			BLMS	1B.2		G2	S2		No	13-Sep-12	Formerly included in the family Lennoaceae.								K							
<i>Piperia candida</i>	white-flowered rein orchid	VASC	Orchidaceae			BLMS	1B.2		G2	S2		No	13-Sep-12	May be on public lands on Red Mt. Jennifer to check--will leave as suspected for now.		S													
<i>Piperia yadonii</i>	Yadon's rein orchid	VASC	Orchiciaceae	FE			1B.1		G2	S2		Yes	13-Sep-12									K							
<i>Plagiobothrys uncinatus</i>	hooked popcorn-flower	VASC	Boraginaceae			BLMS	1B.2		G2	S2.2		No				S													

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Pleuropogon hooverianus</i>	Hoover's semaphore grass	VASC	Poaceae		ST	BLMS	1B.1		G2	S2		No	13-Sep-12			S													
<i>Poa diaboli</i>	Diablo Canyon blue grass	VASC	Poaceae			BLMS	1B.2		G1	S1.2		No	16-Nov-10	May be on BLM lands in Ruda Canyon, San Luis Obispo Co.			S												
<i>Pogogyne nudiuscula</i>	Otay mesa mint	VASC	Lamiaceae	FE	SE		1B.1		G1	S1		Yes	13-Sep-12											S					
<i>Polyctenium williamsiae</i>	Williams's combleaf	VASC	Brassicaceae			BLMS	1B.2	T	G2Q	S1.2 (CA); S2 (NV)	CE	No	18-Sep-12	Known in Bishop on BLM land in the Bodie area. Because the Jepson Manual 2nd Edition and the Flora of North America reduced this species to synonymy under <i>P. fremontii</i> , the species was recently reviewed and kept on List 1B.2 by CNPS and CNDDDB by decision dated February 8, 2012.	S			K	S										
<i>Polygonum polygaloides subsp. esotericum</i>	Modoc County knotweed	VASC	Polygonaceae			BLMS	1B.1		G4G5T2	S2.1		No			K														
<i>Polyozellus multiplex</i>	blue chanterelle	FUNG	Thelephoraceae			BLMS			G4G5	None		No	16-Nov-10			S													
<i>Potentilla basaltica</i>	Black Rock potentilla	VASC	Rosaceae	FC		BLMS	1B.3	T	G1	S1.3 (CA); S1 (NV)		No		Threats appear to be competition from meadow plant species.	K													S	
<i>Pseudobahia peirsonii</i>	Tulare pseudobahia	VASC	Asteraceae	FT	SE		1B.1		G1	S1		No				S													
<i>Ptilidium californicum</i>	Pacific fuzzwort	BRYO	Ptilidiaceae			BLMS	4.3		G3G4	S2S3		No	13-Sep-12			K									S				
<i>Puccinellia howellii</i>	Howell's alkali-grass	VASC	Poaceae			BLMS	1B.1		G1	S1.1		No													S				
<i>Puccinellia parishii</i>	Parish's alkaligrass	VASC	Poaceae			BLMS	1B.1		G2G3	S1		No					S												
<i>Pyrrcoma lucida</i>	sticky pyrrocoma	VASC	Asteraceae			BLMS	1B.2		G3	S3		No	13-Sep-12						K										
<i>Raillardella pringlei</i>	showy raillardella	VASC	Asteraceae			BLMS	1B.2		G2	S2.2		No													S				
<i>Ramalina pollinaria</i>	dusty ramalina	LICH	Ramalinaceae			BLMS			G4	None		No	16-Nov-10			K													
<i>Ramaria amyloidea</i>	'pinkish coral mushroom'	FUNG	Ramariaceae			BLMS			G3	None		No	16-Nov-10			K													
<i>Ramaria aurantiisiccescens</i>	'yellow coral mushroom'	FUNG	Ramariaceae			BLMS			G3	None		No	16-Nov-10			K													

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Ramaria cyaneigranosa</i>	'pinkish coral mushroom'	FUNG	Ramariaceae			BLMS			G4	None		No	16-Nov-10		S															
<i>Ramaria largentii</i>	'orange coral mushroom'	FUNG	Ramariaceae			BLMS			G3	None		No	16-Nov-10		K															
<i>Rhynchospora californica</i>	California beaked-rush	VASC	Cyperaceae			BLMS	1B.1		G1	S1.1		No													S					
<i>Ribes canthariforme</i>	Moreno currant, San Diego currant	VASC	Grossulariaceae			BLMS	1B.3		G1	S1.3		No	16-Nov-10												S					
<i>Ribes tularense</i>	Sequoia gooseberry	VASC	Grossulariaceae			BLMS	1B.3		G2	S2.3		No				K														
<i>Rorippa columbiae</i>	Columbia yellow cress	VASC	Brassicaceae			BLMS	1B.2		G3	S1.1		No			S					S					S					
<i>Rupertia hallii</i>	Hall's rupertia	VASC	Fabaceae			BLMS	1B.2		G3	S3		No	13-Sep-12													K				
<i>Sagittaria sanfordii</i>	Sanford's arrowhead	VASC	Alismataceae			BLMS	1B.2		G3	S3		No	13-Sep-12													K				
<i>Saltugilia latimeri</i>	Latimer's woodland-gilia	VASC	Polemoniaceae			BLMS	1B.2		G2	S2.2		No	16-Nov-10	Known to occur on public lands along or near currently designated OHV routes in the Old Dad Mountains south of the west end of the Mojave National Preserve acc. Jim Weigand.										K	K		K			
<i>Salvia greatae</i>	Orocopia sage	VASC	Lamiaceae			BLMS	1B.3		G2	S2		No	13-Sep-12	CNDDDB Occurrence # 11 is from the south edge of the Trilobite Wilderness near Amboy, far from the core of its range in southern Riverside County. The occurrence (shown on BLM lands) is unvouchered and was listed as <i>Salvia cf. funerea</i> by Spaulding and Twitchell in 1978. CNDDDB decided it must be <i>S. greatae</i> . Kam Barrows looked at the occurrence in 1986 and found no plants.											S	K				
<i>Sanicula saxatilis</i>	rock sanicle	VASC	Apiaceae		SR	BLMS	1B.2		G2	S2		No	13-Sep-12								S									
<i>Sarcodon fuscoindicum</i>	violet hedgehog	FUNG	Bankeraceae			BLMS			G3	None		No	16-Nov-10		K															
<i>Sedum albomarginatum</i>	Feather River stonecrop	VASC	Crassulaceae			BLMS	1B.2		G2	S2.2		No													S					
<i>Sedum laxum subsp. eastwoodiae</i>	Red Mountain stonecrop	VASC	Crassulaceae	FC		BLMS	1B.2		G5T1	S1.2		No	16-Nov-10	Formerly <i>S. eastwoodiae</i> (Britton) Berger.		K														

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH		
<i>Sedum obtusatum paradisum</i>	Canyon Creek stonecrop	VASC	Crassulaceae			BLMS	1B.3		G4G5T1	S1.3		No	16-Nov-10	Formerly <i>S. paradisum</i> (M. Denton) M. Denton.											K						
<i>Senecio clevelandii</i> var. <i>heterophyllus</i>	Red Hills ragwort	VASC	Asteraceae			BLMS	1B.2		G4?T3Q	S2?		Yes	13-Sep-12	<i>Senecio clevelandii</i> is now <i>Packera clevelandii</i> , but the combination <i>Packera clevelandii</i> var. <i>heterophylla</i> has not been validly published because this var. has been reduced to synonymy in the Jepson Manual 1st and 2nd editions. The treatment by Barkley in Jepson Manual 1 was not based on genetic work. Barkley's treatment has been continued by Trock in Jepson Manual 2 and Flora North America. DFG, CNPS and BLM will continue to recognize the variety until genetic work conclusively shows that vars. <i>clevelandii</i> and <i>heterophyllus</i> are actually the same taxon.											K						
<i>Sidalcea covillei</i>	Owens Valley checkerbloom	VASC	Malvaceae		SE	BLMS	1B.1		G3	S3		No	13-Sep-12					K													
<i>Sidalcea hickmanii</i> subsp. <i>anomala</i>	Cuesta Pass checkerbloom	VASC	Malvaceae		SR	BLMS	1B.2		G3T1	S1		No	13-Sep-12			S					S										
<i>Sidalcea hickmanii</i> subsp. <i>parishii</i>	Parish's checkerbloom	VASC	Malvaceae		SR	BLMS	1B.2		G3T1	S1.2		No		This species used to be a Federal candidate but was removed from the candidate list in 2006.										S							
<i>Sidalcea keckii</i>	Keck's checkerbloom	VASC	Malvaceae	FE			1B.1		G1	S1		No	13-Sep-12			K															
<i>Sidalcea malviflora</i> subsp. <i>patula</i>	Siskiyou checkerbloom	VASC	Malvaceae			BLMS	1B.2		G5T2	S2		No	13-Sep-12		S																
<i>Sidalcea oregana</i> subsp. <i>eximia</i>	coast checkerbloom	VASC	Malvaceae			BLMS	1B.2		G5T1	S1.2		No			S																
<i>Sidalcea robusta</i>	Butte County checkerbloom	VASC	Malvaceae			BLMS	1B.2		G2	S2		No	13-Sep-12												K						

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Silene campanulata subsp. campanulata</i>	Red Mountain campion	VASC	Caryophyllaceae		SE	BLMS	4.2		G5T3Q	S3		No	13-Sep-12	Known from Red Mountain, Mendocino Co., Arcata FO; suspected on public lands in Ukiah FO from an occurrence near public lands in the Gilmore Peak 24k quad, Colusa Co.		K													S	
<i>Silene occidentalis subsp. longistipitata</i>	long-stiped campion	VASC	Caryophyllaceae			BLMS	1B.2		G4T2Q	S2		No	16-Nov-10																S	
<i>Smilax jamesii</i>	English Peak greenbriar	VASC	Smilacaceae			BLMS	1B.3		G2	S2		No																	S	
<i>Sowerbyella rhenana</i>	stalked orange peel fungus	FUNG	Pyrenemataceae			BLMS			G3G5	None		No	16-Nov-10			S													S	
<i>Sparassis crispa</i>	cauliflower mushroom	FUNG	Sparassidaceae			BLMS			None	None		No	16-Nov-10			K														
<i>Spathularia flavida</i>	fairy fan	FUNG	Cudoniaceae			BLMS			G4G5	None		No	16-Nov-10			K													S	
<i>Sphaeralcea rusbyi var. eremicola</i>	Rusby's desert-mallow	VASC	Malvaceae			BLMS	1B.2		G4T2	S2		No	13-Sep-12	CNPS Rare Plant Treasure Hunt found 19 new occurrences in 2010.										K						
<i>Stenotus lanuginosus var. lanuginosus</i>	woolly stenotus	VASC	Asteraceae			BLMS	2.2		G5T3	S3		No	13-Sep-12	Known in CA from fewer than five occurrences. This species occurs at low numbers at each site.		K														
<i>Stipa exigua</i>	little ricegrass	VASC	Poaceae			BLMS	2.3		G5	S1.3		No	13-Sep-12	Formerly <i>Oryzopsis exigua</i> Thurb. Known in CA from only two widely separated occurrences, one on public lands within the Eagle Lake Field Office which burned within the last few years. It is not common in NV. Threats include grazing and weed invasion following the recent fire.		K				K									S	
<i>Streptanthus albidus subsp. albidus</i>	Metcalf Canyon jewel-flower	VASC	Brassicaceae	FE			1B.1		G2T1	S1		Yes	13-Sep-12																	
<i>Streptanthus brachiatus subsp. brachiatus</i>	Socrates Mine jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T1	S1.2		Yes																		K
<i>Streptanthus brachiatus subsp. hoffmanii</i>	Freed's jewelflower	VASC	Brassicaceae			BLMS	1B.2		G2T1	S1.2		No	16-Nov-10	This taxon was recognized in Jepson Manual 1st edition, but is reduced to synonymy under <i>S. brachiatus</i> in the 2nd edition.																K
<i>Streptanthus callistus</i>	Mount Hamilton jewel-flower	VASC	Brassicaceae			BLMS	1B.3		G1	S1		No	13-Sep-12																	

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Streptanthus campestris</i>	southern jewel-flower	VASC	Brassicaceae			BLMS	1B.3		G2	S2.3		No	18-Sep-12	Nonspecific CNDDDB Occurrence 8, in the El Centro FO, is on lands slated for renewable energy; there are BLM lands within the mapped 1 mile radius circle, but there are also private lands. Occurrence 1, in the Palm Springs FO, contains BLM lands within the mapped 1 mile radius circle, but most of the lands within the circle are private.							S									
<i>Streptanthus cordatus var. piutensis</i>	Piute Mountains jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G5T1	S1.2		No				K											K			
<i>Streptanthus glandulosus subsp. hoffmannii</i>	Hoffmann's jewel-flower	VASC	Brassicaceae			BLMS	1B.3		G4TH	SH		No	16-Nov-10	Elevated from <i>S. g. var. hoffmannii</i> Kruckeberg to subsp. <i>hoffmannii</i> in Jepson Manual 2nd edition.															S	
<i>Streptanthus morrisonii subsp. elatus</i>	Three Peaks jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T2	S2.2		No	16-Nov-10	Reduced to synonymy under <i>S. morrisonii</i> in Jepson Manual 2nd edition.															K	
<i>Streptanthus morrisonii subsp. hirtiflorus</i>	Dorr's Cabin jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T1	S1.2		No	16-Nov-10	Reduced to synonymy under <i>S. morrisonii</i> in Jepson Manual 2nd edition.															S	
<i>Streptanthus morrisonii subsp. kruckebergii</i>	Kruckeberg's jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T1	S1.2		No	16-Nov-10	Reduced to synonymy under <i>S. morrisonii</i> in Jepson Manual 2nd edition.															K	
<i>Streptanthus morrisonii subsp. morrisonii</i>	Morrison's jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T2	S2.2		No	16-Nov-10	The Jepson Manual 2nd edition does not recognize any subspecific taxa under <i>S. morrisonii</i> .															K	
<i>Streptanthus oliganthus</i>	Masonic Mountain jewel-flower	VASC	Brassicaceae			BLMS	1B.2	W	G3	S2.2		No						K												
<i>Streptanthus vernalis</i>	early jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G1	S1		No	24-Aug-09	Known from only one occurrence on serpentine at Three Peaks.															K	
<i>Stylocline citroleum</i>	oil neststraw	VASC	Asteraceae			BLMS	1B.1		G2	S2		No	18-Sep-12	After reviewing CNDDDB, specific occurrence 18 has BLM lands within the mapped circle.			K													
<i>Stylocline masonii</i>	Mason neststraw	VASC	Asteraceae			BLMS	1B.1		G1	S1.1		No				S														

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATIA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Symphotrichum defoliatum</i>	San Bernardino aster	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	13-Sep-12	Newly accepted name for <i>Aster bernardinus</i> H.M. Hall. CNDDDB maps nonspecific location close to BLM lands on Mt. Laguna.							S				S		S		
<i>Teloschistes flavicans</i>	orangebush lichen	LICH	Teloschistaceae			BLMS			G4G5	None		No	16-Nov-10			S													
<i>Tetracoccus dioicus</i>	Parry's tetracoccus	VASC	Euphorbiaceae			BLMS	1B.2		G3	S2.2		No												K					
<i>Tetraphis geniculata</i>	bent-kneed four-tooth moss	BRYO	Tetraphidaceae			BLMS			G3G5	None		No	16-Nov-10			S													
<i>Thelypodium howellii</i> var. <i>howellii</i>	Howell's thelypodium	VASC	Brassicaceae			BLMS	1B.2		G2T2	S2.2		No			S					K								S	
<i>Thermopsis californica</i> var. <i>semota</i>	velvety false lupine	VASC	Fabaceae			BLMS	1B.2		G3T2	S2.1		No	30-Jan-12	Nonspecific CNDDDB occurrence 16 borders BLM land slated for renewable energy.							S								
<i>Thysanocarpus rigidus</i>	Ridge Fringepod	VASC	Brassicaceae			BLMS	1B.2		G1G2	S1S2		No	03-Oct-11	Currently shown in 2 locations close to BLM lands in the Laguna Mountains.							S								
<i>Tortula californica</i>	California screw moss	BRYO	Pottiaceae			BLMS	1B.2		G2?	S2		No	13-Sep-12				S												
<i>Trifolium buckwestiorum</i>	Santa Cruz clover	VASC	Fabaceae			BLMS	1B.1		G1	S1.1		No		Known from 3 locations at Fort Ord, one of which along road scheduled to be widened (entered 1/24/02).								K							
<i>Trifolium jokerstii</i>	Butte County golden clover	VASC	Fabaceae			BLMS	1B.2		G1	S1.2		No													K				
<i>Trifolium kingii</i> subsp. <i>dedeckerae</i>	DeDecker's clover	VASC	Fabaceae			BLMS	1B.3		G2	S2.3		No	13-Sep-12	DFG and CNPS still have as <i>T. dedeckerae</i> J.M. Gillett. Was <i>Trifolium macilentum</i> var. <i>dedeckerae</i> (J.M. Gillett) Barneby in Jepson Manual 1st edition. The treatment used here is the treatment in Jepson Manual 2nd edition.			S										K		
<i>Trifolium polyodon</i>	Pacific Grove clover	VASC	Fabaceae		SR	BLMS	1B.1		G1Q	S1.1		No	16-Nov-10									K							
<i>Usnea longissima</i>	long beard lichen	LICH	Parmeliaceae			BLMS			G4	S4.2		No	16-Nov-10			K													
<i>Verbena californica</i>	Red Hills vervain	VASC	Verbenaceae	FT	ST		1B.1		G2	S2		No	13-Sep-12									K							

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Vermilacinia cephalota</i>	powdery fog lichen	LICH	Ramalinaceae			BLMS			G3G4	None		No	16-Nov-10	Formerly <i>Niebla cephalota</i> (Tuck.) Rundel & Bowler, which the PLANTS database treats as a synonym.		K														
<i>Wyethia reticulata</i>	El Dorado mule ears	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	13-Sep-12	FWS Recovery Plan for Gabbro Soil Plants of the Central Sierra Nevada Foothills addresses this species even though it's not federally listed.								K								
<i>Xylorhiza cognata</i>	Mecca-aster	VASC	Asteraceae			BLMS	1B.2		G2	S2.2		No	16-Nov-10	Occurs on BLM lands along or near OHV routes and trails in the Meccacopia Special Recreation Area acc. Jim Weigand.										K						
<i>Xylorhiza orcuttii</i>	Orcutt's woody aster	VASC	Asteraceae			BLMS	1B.2		G2G3	S2		No	13-Sep-12								K									
<i>Zeltnera namophila</i>	spring-loving centauray	VASC	Gentianaceae	FT					G2Q	S2 (Nevada)	CE	Yes	13-Sep-12	Formerly <i>Centaurium namophilum</i> Reveal, C.R. Broome, & Beatley, this species is now treated as <i>Zeltnera namophila</i> in the Jepson Manual, 2nd edition. Although the CNPS Inventory, accessed 9/13/2012, still treats this as <i>Centaurium namophilum</i> and states that the species does not occur in California, citing previous records to be based on a misidentification of <i>C. exaltatum</i> (Griseb.) Piper, the Jepson Manual 2 believes that the specimens referred to <i>C. exaltatum</i> are in fact <i>Z. namophila</i> . This species is almost certainly in the Carson Slough area of the Barstow FO.				K												

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
-----------------	-------------	---------------	--------	------------	-----------	------------	--------------------	-------------	-------------	------------	-----------	----------------	--------------	----------	---------	--------	-------------	---------	--------	------------	-----------	-----------	--------------	---------	--------------	---------	------------	----------	-------

Type of Plant: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Federal Status: FE = Federally Endangered; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution – a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. Comments: Additional information, only provided for some plants. Date Updated: This field is provided to show when changes or updates were last made to an element; this tracking was implemented only in recent years, so the field is blank for most elements. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.